

**List of Dover/Plant City Rule Changes
June 2011**

Chapter 40D-1, Florida Administrative Code (F.A.C.)

<https://www.flrules.org/gateway/ChapterHome.asp?Chapter=40D-1>

Rule 40D-1.659, F.A.C., Forms and Instructions, was amended to re-number and re-date the water use permit application forms that were revised to implement the new provisions of the freeze management plan. Two new application forms have been created and are now listed in the rule.

Chapter 40D-2, F.A.C.

<https://www.flrules.org/gateway/ChapterHome.asp?Chapter=40d-2>

Rule 40D-2.021, Definitions, F.A.C., is amended to add definitions for terms used in the new rules: "Dover/Plant City WUCA", "Net Benefit" and "New Quantities".

40D-2.041, Permits Required, F.A.C. is amended to require a permit within the Dover/Plant City WUCA for withdrawals that have frost/freeze protection quantities.

40D-2.091, Publications and Forms Incorporated by Reference, F.A.C., is amended to incorporate the new Dover/Plant City WUCA Water Use Permit Basis of Review provisions referenced below.

40D-2.101, Content of Application, F.A.C., is amended to incorporate new and revised water use permit application forms for Dover/Plant City WUCA.

40D-2.381, Standard Permit Conditions, F.A.C., is amended to provide for examples of adverse impacts from withdrawals to environmental features and offsite land uses.

40D-2.801, Water Use Caution Areas, F.A.C., is amended to create the Dover/Plant City WUCA, its boundaries, the types of withdrawals subject to the Dover/Plant City WUCA rules and to describe the conditions to be met to obtain a water use permit within the WUCA.

Water Use Permit Basis of Review

<https://www.flrules.org/gateway/reference.asp?No=Ref-00288>

Section 7.4, titled "Dover/Plant City Water Use Caution Area" is created to regulate groundwater use for frost/freeze protection for existing and new water use permits. This section includes provisions for calculating frost/freeze quantities that will be permitted, the conditions for obtaining a permit for new quantities, metering and reporting requirements, and mitigation responsibilities for interference with another user's well.

**List of Dover/Plant City Rule Changes
June 2011**

Chapter 40D-8, F.A.C.

<https://www.flrules.org/gateway/ChapterHome.asp?Chapter=40D-8>

Rule 40D-8.626 Minimum Aquifer Levels, F.A.C., is amended to establish a Minimum Aquifer Level and Minimum Aquifer Level Protection Zone for the Dover/Plant City WUCA. The rule also describes how the District will determine whether the Minimum Aquifer Level has been achieved.

Chapter 40D-80, F.A.C.

<https://www.flrules.org/gateway/ChapterHome.asp?Chapter=40D-80>

Rule 40D-80.075, Regulatory Portion of Recovery Strategy for the Dover/Plant City WUCA, F.A.C. describes the strategy the District will use to help water use permittees reduce groundwater withdrawals used for frost/freeze protection in order to achieve compliance with the Minimum Aquifer Level. The strategy relies mostly on the FARMS program to provide alternative methods for frost/freeze protection and achieving net benefits when permitting new quantities.