



complaint, please follow the grievance procedure located at WaterMatters.org/ADA.

2379 Broad Street, Brooksville, Florida 34604-6899 (352) 796-7211 or 1-800-423-1476 (FL only) WaterMatters.org

An Equal Opportunity Employer

> RECOMMENDED MINIMUM FLOWS FOR THE LITTLE MANATEE RIVER INDEPENDENT SCIENTIFIC PEER REVIEW PANEL MEETING

The Southwest Florida Water Management District (District) does not discriminate on the basis of disability. This nondiscrimination policy involves every aspect of the District's functions, including access to and participation in the District's programs, services and activities. Anyone requiring reasonable accommodation, or who

would like information as to the existence and location of accessible services, activities, and facilities, as provided for in the Americans with Disabilities Act, should

ADACoordinator@WaterMatters.org. If you are hearing or speech impaired, please contact the agency using the Florida Relay Service, 1-800-955-8771 (TDD) or 1-800-955-8770 (Voice). If requested, appropriate auxiliary aids and services will be provided at any public meeting, forum, or event of the District. In the event of a

contact the Human Resources Office Chief, at 2379 Broad St., Brooksville, FL 34604-6899; telephone (352) 796-7211 or 1-800-423-1476 (FL only); or email

WEDNESDAY, JULY 12, 2023

1:00 P.M. TO 4:00 P.M.

TEAMS MEETING

1-786-749-6127 CONFERENCE ID: 995973479# → All meetings are open to the public. ~

- 1. Welcome and Introductions, Kym Rouse Holzwart, Lead Ecologist, SWFWMD¹
- 2. Overview of Activity Since July 5, 2023 Meeting, Kym Rouse Holzwart, Lead Ecologist, SWFWMD
- Peer Review Panel Discussion Regarding Draft District Responses to Peer Review Panel Comments and Revised Draft Report, Facilitated by Steve Peene, Panel Chair, Senior Principal, ATM²
 - Discussion of General Comments
 - Discussion of Detailed Comments
 - Discussion of New Information
 - Discussion of Peer Review Panel Initial Determinations
 - Steps to Development of Final Peer Review Report
- 4. Public Comment Period, Facilitated by Kym Rouse Holzwart, Lead Ecologist, SWFWMD

For questions regarding the meeting or the recommended minimum flows for the Little Manatee River, please contact Kym Rouse Holzwart by email at <u>Kym.Holzwart@watermatters.org</u>, by telephone at 1-352-269-5946, or by mail at the address listed at the top of this agenda.

If you have comments, please hold them until the public comment period. Kym will call on you at the appropriate time during the last portion of the meeting. Comments will typically be limited to three minutes per speaker. In appropriate circumstances, the Moderator may grant exceptions to the three-minute limit.

¹SWFWMD = Southwest Florida Water Management District ²ATM = Applied Technology & Management, Inc., A Geosyntec Company

Bartow Office 170 Century Boulevard Bartow, FL 33830-7700 863-534-1448 or 1-800-492-7862 Sarasota Office 78 Sarasota Center Boulevard Sarasota, FL 34240 941-377-3722 or 1-800-320-3503 Tampa Office 7601 US Highway 301 North Tampa, FL 33637-6759 813-985-7481 or 1-800-836-0797