Appendix I2A CR Raw Data Source Description

Lower Hillsborough Continuous Recorder Master README

Southwest Florida Water Management District

2024-08-02

Summary

This document summarizes the Continuous Recorder (CR) data that may support the Lower Hillsborough River (LHR) Recovery Strategy for the period of June 1, 1996 to December 31, 2023, as part of the Task 10 data deliverable for District TWA: 22TW0003992. This document is produced from R software code that reads in raw datasets and summarizes that key variables of interest, then combines individual files into a master dataset. Readme documentation is provided as a header paragraph for each dataset followed by summary statistics and histograms of the raw data. A line of qualifier code types is provided where present and a reported result of "character(0)" indicates no codes were available.

Where specific conductance but not salinity was provided, salinity was calculated using the equation of Schemel (2001) using the compensateR package:

R = specific_conductance/53087

Salinity=round($0.012 + -0.2174R^0.5 + 25.3283R + 13.7714R^(3/2) + -6.4788R^2 + 2.5842*R^(5/2),digits=2$)

Note: for some plot labels Specific Conductance is abbreviated as Spec. Conductance or Spec. Cond. in order to fit label on plot. ***

United States Geological Service (USGS) Data

This subsection describes the individual USGS continuous recorder data files provided in the data dictionary.


USGS 02303000 Hillsborough River @ Zephyrhills

File name and path:/USGS/Zephyrhills/USGS_Zephyrhills_Continuous.xlsx


Metadata: R Script provided in tab in raw data file was run to pull the 15 minute continuous data through December 31, 2023 for Hillsborough RV at State Park NR Zephyrhills, FL - 02303000.

Data include flow and gage height.

Summary statistics are summarized below based on the period of record of January 1, 1996 to December 31, 2023.



```
## Min. 1st Qu. Median Mean 3rd Qu. Max. NA's
## 0.6 1.0 1.3 1.8 2.0 14.3 413000
## [1] "A" "P"
```



```
## Min. 1st Qu. Median Mean 3rd Qu. Max. NA's
## 26.0 75.0 107.0 218.1 204.0 7750.0 25139
## [1] "A" "A [91]" "A [92]" "A [93]" "A e" "A R" "P"
```


USGS 02304000 Hillsborough River @ Fowler

File name and path:/USGS/Fowler/USGS_Fowler_Continuous.xlsx


Metadata: R Script provided in tab in raw data file was used to pull the 15 minute continuous data through December 31, 2023 for Hillsborough R at Fowler AV Near Temple Terrace FL – 02304000.

Data include temperature, gage height, flow, dissolved oxygen and specific conductance. Single level only assigned as surface reading.


Summary statistics for surface parameters are summarized below based on the period of record of June 1, 2008 to December 31, 2023.




```
## Min. 1st Qu. Median Mean 3rd Qu. Max. NA's
## 18.47 22.12 22.68 22.36 22.88 25.61 1128
## [1] "A" "P"
```




```
## Min. 1st Qu. Median Mean 3rd Qu. Max. NA's
## -205.0 132.0 249.0 486.8 583.0 2780.0 351540
## [1] "A" "A e" "P"
```




```
## Min. 1st Qu. Median Mean 3rd Qu. Max. NA's
## 7.20 19.60 24.50 23.05 26.70 32.40 2714
## [1] "A" "P"
```



```
## Min. 1st Qu. Median Mean 3rd Qu. Max. NA's
## 110.0 255.0 335.0 316.6 384.0 514.0 8837
## [1] "A" "P"
```



Min. 1st Qu. Median Mean 3rd Qu. Max. NA's ## 0.056 0.123 0.161 0.153 0.185 0.248 8837



```
## Min. 1st Qu. Median Mean 3rd Qu. Max. NA's
## 0.200 2.300 3.900 4.489 6.200 19.000 10514
## [1] "A" "P"
```


USGS 02304500 Hillsborough River Near Tampa Dam Continuous Flows

File name and path:/USGS/Dam/USGS_Dam_Continuous.xlsx

Metadata: R Script provided in tab in raw data file was used to pull the hourly continuous data through December 31, 2023 for Hillsborough River Near Tampa FL - 02304500.

Data include flow and gage height information

Summary statistics are summarized below based on the period of record of October 1, 2007 to December 31, 2023.



Min. 1st Qu. Median Mean 3rd Qu. Max. NA's

22.05

22.65

23.35

6373


22.49

[1] "A" "P"

17.01

21.92

##



USGS 02304510 Hillsborough River @ Rowlett Park Dr.

File name and path:/USGS/Rowlett/USGS Rowlett Continuous 19870711 20070930.csv


Historical Rowlett data (1987-2007) was originally provided via email on April 15, 2024 to SWFWMD from USGS, this data is still considered provisional. The data is for Hillsborough River at Rowlett PK DR Near Tampa FL - 02304510. These data were combined with Rowlett data from 2007 through December 31,2023 as described below.

File name and path:/USGS/Rowlett/USGS_Rowlett_Continuous_20071001_20231231.xlsx


Metadata: R Script provided in tab in raw data file was used to pull the 15 minute continuous data through December 31, 2023 for Hillsborough River at Rowlett PK DR Near Tampa FL - 02304510.

Data include surface and bottom gage height, temperature and specific conductance


Summary statistics for surface and bottom parameters are summarized below based on the period of record of January 23, 1996 to December 31, 2023.




```
## Min. 1st Qu. Median Mean 3rd Qu. Max. NA's
## -7.04 0.27 1.04 1.10 1.83 15.20 274708
## [1] "A" "P"
```




Min. 1st Qu. Median Mean 3rd Qu. Max. NA's ## 8.60 21.80 25.10 24.44 27.70 34.30 78908 ## [1] "A" "P"




Min. 1st Qu. Median Mean 3rd Qu. Max. NA's ## 82 265 382 3103 4100 28342 78698 ## [1] "A" "P"



Min. 1st Qu. Median Mean 3rd Qu. Max. NA's ## 0.04 0.13 0.18 1.72 2.17 17.44 78698




```
## Min. 1st Qu. Median Mean 3rd Qu. Max. NA's
## 10.50 21.70 25.00 24.38 27.70 34.10 82784
## [1] "A" "P"
```



USGS 02304510 Rowlett Bottom Specific Conductance (us/cm)

| # | # N | Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|----|-------|-------|---------|--------|------|---------|-------|--------|
| # | # | 88 | 261 | 383 | 3345 | 4370 | 27803 | 102503 |
| #: | # [1] | " ^ " | "D" | | | | | |



| ## | Min. 1 | st Qu. | Median | Mean 3 | rd Qu. | Max. | NA's |
|----|--------|--------|--------|--------|--------|-------|--------|
| ## | 0.05 | 0.13 | 0.18 | 1.86 | 2.32 | 17.08 | 102503 |


USGS 02304517 Hillsborough River @ BLHannah

File name and path:/USGS/BLHannahs/USGS_BLHannah_Continuous.xlsx


Metadata: R Script provided in tab in raw data file was used to pull the 15 minute continuous data through December 31, 2023 for Hillsborough R BL Hannahs Whirl NR Sulphur Spgs FL - 02304517.

Data includes flow, and surface and bottom temperature, dissolved oxygen and specific conductance.


Summary statistics for surface parameters are summarized below based on the period of record of October 1, 2017 to December 31, 2023.




Min. 1st Qu. Median Mean 3rd Qu. Max. NA's ## 12.4 21.9 25.7 24.8 27.9 33.0 2732 ## [1] "A" "P"




Min. 1st Qu. Median Mean 3rd Qu. Max. NA's ## 115 260 339 2256 4110 33800 3124 ## [1] "A" "P"



Min. 1st Qu. Median Mean 3rd Qu. Max. NA's ## 0.0581 0.1254 0.1631 1.2213 2.1746 21.1707 3124




```
## Min. 1st Qu. Median Mean 3rd Qu. Max. NA's
## 0.000 5.600 6.400 6.449 7.600 13.600 2874
## [1] "A" "P"
```




USGS 02304517 BLHannah Bottom Water Temperature (C)


```
## Min. 1st Qu. Median Mean 3rd Qu. Max. NA's
## 12.40 22.10 25.70 24.83 27.90 33.00 2556
## [1] "A" "P"
```



Min. 1st Qu. Median Mean 3rd Qu. Max. NA's ## 94 252 336 3392 4830 35800 2649 ## [1] "A" "P"



Min. 1st Qu. Median Mean 3rd Qu. Max. NA's ## 0.0487 0.1216 0.1617 1.9100 2.5816 22.5591 2649



```
## Min. 1st Qu. Median Mean 3rd Qu. Max. NA's
## 0.000 4.700 6.100 5.735 7.300 12.300 4226
## [1] "A" "P"
```


USGS 02304515 Hillsborough River @ Hannah's Whirl

File name and path:/USGS/HannahsWhirls/USGS_HannahsWhirl_Continuous.xlsx


Metadata: The District provided a dataset and R Script in a tab in raw data file that was used to pull the 15 minute continuous data through December 31, 2023 for Hillsborough River @ Hannah's Whirl USGS 02304515. This file had an odd format for dattime that was corrected by converting to a csv and manually removing the "UTC" suffix from the datetime field. This csv file USGS HannahsWhirl Continuous.csv is read in by the code below

Data includes surface and bottom temperature, dissolved oxygen and specific conductance.


Summary statistics for surface parameters are summarized below based on the period of record of June 15, 2001 to July 01, 2002.




```
## Min. 1st Qu. Median Mean 3rd Qu. Max. NA's
## 20.30 26.10 27.70 27.27 28.60 32.30 20859
## [1] " "A"
```



Min. 1st Qu. Median Mean 3rd Qu. Max. NA's ## 108 285 5318 6655 11600 27100 20842 ## [1] " "A"









USGS 02304515 Hannahs Whirl Surface Dissolved Oxygen (mg/L)


```
## Min. 1st Qu. Median Mean 3rd Qu. Max. NA's
## 0.000 2.800 4.300 4.182 5.600 12.500 20835
## [1] "A"
```




```
## Min. 1st Qu. Median Mean 3rd Qu. Max. NA's
## 20.20 26.50 27.80 27.36 28.60 31.60 21906
## [1] " "A"
```



Min. 1st Qu. Median Mean 3rd Qu. Max. NA's ## 170 324 8840 9477 17928 29800 21901 ## [1] " "A"



Min. 1st Qu. Median Mean 3rd Qu. Max. NA's ## 0.083 0.156 4.926 5.553 10.574 18.427 21901



```
## Min. 1st Qu. Median Mean 3rd Qu. Max. NA's
## 0.000 1.800 3.700 3.666 5.400 13.100 28994
## [1] " "A"
```


USGS 023060013 Hillsborough R. at I-275 Bridge at Sulphur Springs FL.

File name and path:/USGS/I275/USGS_I275_Continuous.xlsx


Metadata: R Script provided in tab in raw data file was used to pull the 15 minute continuous data through December 31, 2023 for Hillsborough R. at I-275 Bridge at Sulphur Spgs FL - 023060013.

Data include gage height and surface and bottom temperature and specific conductance.


Summary statistics for surface parameters are summarized below based on the period of record of June 30, 2011 to December 31, 2023




```
## Min. 1st Qu. Median Mean 3rd Qu. Max. NA's
## -3.38 0.41 1.12 1.06 1.74 6.66 79640
## [1] "A" "P"
```




Min. 1st Qu. Median Mean 3rd Qu. Max. NA's ## 13.00 22.80 25.70 24.99 27.70 32.10 76747 ## [1] "A" "P"




Min. 1st Qu. Median Mean 3rd Qu. Max. NA's ## 171 690 2290 5831 8840 38600 117943 ## [1] "A" "P"




Min. 1st Qu. Median Mean 3rd Qu. Max. NA's ## 0.08 0.34 1.17 3.33 4.93 24.52 117943



```
## Min. 1st Qu. Median Mean 3rd Qu. Max. NA's
## 13.20 22.90 25.80 25.04 27.60 31.40 82143
## [1] "A" "P"
```



```
## Min. 1st Qu. Median Mean 3rd Qu. Max. NA's
## 183 1010 2910 8701 17500 39400 120131
## [1] "A" "P"
```




USGS 02306028 Hillsborough River @ Platt Street

File name and path:/USGS/Platt/USGS_Platt_Continuous.xlsx"


Metadata: R Script provided in tab in raw data file was used to pull the 15 minute continuous data through December 31, 2023 for Hillsborough River at Platt Street at Tampa FL - 02306028.

Data include surface and bottom temperature and specific conductance


Summary statistics for surface parameters are summarized below based on the period of record of June 1, 2008 to December 31, 2023




```
## Min. 1st Qu. Median Mean 3rd Qu. Max. NA's
## 11.30 21.70 26.30 25.33 29.10 34.30 32507
## [1] "A" "P"
```




Min. 1st Qu. Median Mean 3rd Qu. Max. NA's ## 220 23500 33900 30362 38500 49900 51447 ## [1] "A" "P"




Min. 1st Qu. Median Mean 3rd Qu. Max. NA's ## 0.11 14.20 21.24 19.00 24.45 32.65 51447



```
## Min. 1st Qu. Median Mean 3rd Qu. Max. NA's
## 12.80 21.20 26.00 25.15 29.40 33.50 7586
## [1] "A" "P"
```



```
## Min. 1st Qu. Median Mean 3rd Qu. Max. NA's
## 275 35000 38200 37228 40900 49800 35090
## [1] "A" "P"
```




USGS 02306000 Sulphur Spings Pool

File name and path:/USGS/SSP/USGS_SSP_Continuous.xlsx


Metadata: R Script provided in tab in raw data file was used to pull the 15 minute continuous data through December 31, 2023 for Sulphur Springs at Sulphur Springs FL - 02306000.

Data include gage height and surface temperature and specific conductance


Summary statistics for surface parameters are summarized below based on the period of record of October 1, 2007 to December 31, 2023




```
## Min. 1st Qu. Median Mean 3rd Qu. Max. NA's
## -0.100 6.500 7.020 6.382 7.130 7.500 9265
## [1] "A" "P"
```



Min. 1st Qu. Median Mean 3rd Qu. Max. NA's ## 23.80 25.10 25.30 25.29 25.60 26.20 11492 ## [1] "A" "P"



Min. 1st Qu. Median Mean 3rd Qu. Max. NA's ## 2310 4500 4860 4850 5290 8280 26547 ## [1] "A" "P"



| ## | Min. | 1st Qu. | Median | Mean 3 | 3rd Qu. | Max. | NA's |
|----|-------|---------|--------|--------|---------|-------|-------|
| ## | 1.183 | 2.394 | 2.599 | 2.596 | 2.844 | 4.592 | 26547 |


USGS 023060003 Sulphur Spings Run

File name and path:/USGS/SSR/USGS_SSR_Continuous.xlsx


Metadata: R Script provided in tab in raw data file was used to pull the 15 minute continuous data through December 31, 2023 for Sulphur Springs Run at Sulphur Springs FL - 023060003.

Data include gage height, and surface temperature, and specific conductance


Summary statistics for surface parameters are summarized below based on the period of record of October 1, 2007 to December 31, 2023




```
## Min. 1st Qu. Median Mean 3rd Qu. Max. NA's
## -0.53 0.76 1.28 1.27 1.78 6.45 11941
## [1] "A" "P"
```



Min. 1st Qu. Median Mean 3rd Qu. Max. NA's ## 21.00 24.90 25.30 25.24 25.60 29.90 25679 ## [1] "A" "P"



Min. 1st Qu. Median Mean 3rd Qu. Max. NA's ## 2020 4520 4850 4888 5250 26700 32742 ## [1] "A" "P"



| ## | Min. 1 | .st Qu. | Median | Mean 3 | rd Qu. | Max. | NA's |
|----|--------|---------|--------|--------|--------|-------|-------|
| ## | 1.03 | 2.41 | 2.59 | 2.62 | 2.82 | 16.33 | 32742 |

City of Tampa (COT) Hourly data


This subsection describes the individual COT continuous recorder data files provided in the data dictionary.

Blue Sink Pumped to Base of Dam

File name and path:/COT/Bluesink_to_BOD/COT_BS_Pumped_2_BOD_Hourly_20170822_20231231.xlsx

Metadata: This data was provided by John Ring, City of Tampa. The file contains City of Tampa hourly pumpage data for the Lower Hillsborough River Recovery Strategy and minimum flow implementation. The file was truncated by Danielle Rogers, Environmental Flows and Levels Section, Southwest Florida Water Management District to only represent one source, water pumped from Blue Sink to the base of dam by City of Tampa.

Summary statistics for parameters are summarized below based on the period of record of August 22, 2017 to December 31, 2023.




Hillsborough Reservoir Pumped to Base of Dam

File name and path:/COT/HRR_to_BOD/COT_HRR_Pumped_2_BOD_Hourly_20180720_20231231.xlsx

This data was provided by John Ring, City of Tampa. The file contains City of Tampa hourly pumpage data for the Lower Hillsborough River Recovery Strategy and minimum flow implementation. The file was truncated by Danielle Rogers, Environmental Flows and Levels Section, Southwest Florida Water Management District to only represent one source, water pumped or delivered via sluice gate from the Hillsborough River Reservoir to the base of dam by the City of Tampa.

Summary statistics for parameters are summarized below based on the period of record of July 20, 2018 to December 31, 2023.




Sulphur Springs Pool Pumped to Run

File name and path:/COT/SS Pumped to Run/COT SS Pumped 2 Run Hourly 20150601 20231231.xlsx

This data was provided by John Ring, City of Tampa. The file contains City of Tampa hourly pumpage data for the Lower Hillsborough River Recovery Strategy and minimum flow implementation. The file was truncated by Danielle Rogers, Environmental Flows and Levels Section, Southwest Florida Water Management District to only represent one source, water pumped from Sulphur Springs Pool to Sulphur Springs Run by the City of Tampa.

Summary statistics for parameters are summarized below based on the period of record of June 1, 2015 to December 31, 2023.




Sulphur Springs Pool Pumped to Base of Dam

File name and path:

/COT/SS_to_BOD/COT_SS_Pumped_2_BOD_Hourly_20150601_20231231.xlsx

This data was provided by John Ring, City of Tampa. The file contains City of Tampa hourly pumpage data for the Lower Hillsborough River Recovery Strategy and minimum flow implementation. The file was truncated by Danielle Rogers, Environmental Flows and Levels Section, Southwest Florida Water Management District to only represent one source, water pumped from Sulphur Springs Pool to the base of dam by City of Tampa.

Summary statistics for parameters are summarized below based on the period of record of June 1, 2015 to December 31, 2023.



Tampa Bay Water HBMP Data

Filename and path:/TBW HBMP/LHR HBMP CR.txt

The Tampa Bay Water Hydrobiological Monitoring Program deploys and maintains three continuous recorders in the Lower Hillsborough River at Columbus, Crosstown, and Sligh Avenue. Emily Keenan from ESA provided an excel file of continuously recorded data at the three sites on May 18 2024 which were read into SAS software, organized and prepared for analysis as a single file. Results where data were flagged as "NV" or where the qualifier2 field was denoted as "Rejected" were set to missing as described in the metadata below. Therefore, no quality codes were imported. Specific conductance was converted to us/cm from ms/cm by multiply values by 1000.


Summary statistics are provided below based on the period of record of February 15, 2001 to December 31,2023.

Columbus: Latitude 27°57.987 Longitude 82°28.497


Metadata: Continuously recorded data (15-minute interval) collected at Columbus Avenue on the Hillsborough River. Salinity, specific conductance and temperature data at two vertical locations (bottom and floating top) were collected. All data have undergone an

internal quality control/quality assurance review. Only data without a flagged result of 'NV' should be used for analysis and reporting.


In addition to the metadata procedures, additional QC was performed to remove data with a qualifier2 value of "Rejected" based on examination of data where specific conductivity and salinity data were obviously out of range.




| ## | Min. 1 | lst Qu. | Median | Mean 3 | 3rd Qu. | Max. | NA's |
|----|--------|---------|--------|--------|---------|-------|-------|
| ## | 9.89 | 21.54 | 25.84 | 24.92 | 28.48 | 37.96 | 65571 |



Min. 1st Qu. Median Mean 3rd Qu. Max. NA's ## 0 5460 19810 18024 28440 53010 65681





Min. 1st Qu. Median Mean 3rd Qu. Max. NA's ## 0.00 2.94 11.79 10.96 17.51 34.85 65610




TBW HBMP @ Columbus Bottom Water Temperature (C)

Min. 1st Qu. Median Mean 3rd Qu. Max. NA's ## 11.95 21.46 25.92 24.97 28.64 32.92 54022








| ## | Min. 1 | 1st Qu. | Median | Mean 3 | 3rd Qu. | Max. | NA's |
|----|--------|---------|--------|--------|---------|-------|-------|
| ## | 0.08 | 14.51 | 20.50 | 17.43 | 23.30 | 30.98 | 53490 |


Sligh: Latitude 28°0.65 Longitude 82°27.99


Metadata: Continuously recorded data (15-minute interval) collected at Sligh Avenue on the Hillsborough River. Salinity, specific conductance and temperature data at two vertical locations (bottom and floating top) were collected. All data have undergone an internal quality control/quality assurance review. Only data without a flagged result of 'NV' should be used for analysis and reporting.


In addition to the metadata, additional QC was performed to remove data with a qualifier value of "Rejected" based on examination of data where specific conductivity and salinity data were obviously out of range.




Min. 1st Qu. Median Mean 3rd Qu. Max. NA's ## 11.99 22.27 25.55 24.83 27.78 100.00 154565










Min. 1st Qu. Median Mean 3rd Qu. Max. NA's ## 0.00 0.38 2.48 3.93 6.79 23.86 156439



Min. 1st Qu. Median Mean 3rd Qu. Max. NA's ## 12.16 22.22 25.76 24.93 28.04 32.00 114542








| ## | Min. 1 | st Qu. | Median | Mean 3 | 3rd Qu. | Max. | NA's |
|----|--------|--------|--------|--------|---------|-------|--------|
| ## | 0.00 | 0.51 | 12.02 | 9.96 | 16.53 | 31.01 | 114562 |


Crosstown: Latitude 27°56.578 Longitude 82°27.53


Metadata: Continuously recorded data (15-minute interval) collected at Crosstown on the Hillsborough River. Salinity, specific conductance and temperature data at two vertical locations (bottom and floating top) were collected. All data have undergone an internal quality control/quality assurance review. Only data without a flagged result of 'NV' should be used for analysis and reporting.


In addition to the metadata, additional QC was performed to remove data with a qualifier value of "Rejected" based on examination of data where specific conductivity and salinity data were obviously out of range.




| ## | Min. | 1st Qu. | Median | Mean 3 | 3rd Qu. | Max. | NA's |
|----|-------|---------|--------|--------|---------|-------|--------|
| ## | 10.50 | 21.28 | 25.64 | 24.89 | 28.68 | 36.25 | 158124 |










Min. 1st Qu. Median Mean 3rd Qu. Max. NA's ## 0.00 10.17 20.09 17.50 24.62 34.22 153638



Min. 1st Qu. Median Mean 3rd Qu. Max. NA's ## 11.03 21.01 25.63 24.86 28.94 33.57 121194







| ## | Min. | 1st Qu. | Median | Mean 3 | 3rd Qu. | Max. | NA's |
|----|------|---------|--------|--------|---------|-------|--------|
| ## | 0.00 | 18.90 | 23.34 | 21.19 | 25.84 | 34.10 | 125440 |

Hillsborough County Environmental Protection Commission (EPC) Data

Nebraska (RKm 13.7) Lat: 28.018383 Lon: -82.44595.


Filename and path: /EPC/EPC_HRCM_all.xlsx

Metadata: This is a single continuous recorder cited in the first 5 year assessment report. It is located near Nebraska Avenue (Rkm 13.7).


The 15 minute continuous data were obtained from Sara Markham EPC on November 1, 2023. No metadata or quality codes were provided with the source file.

Data include surface and bottom temperature, dissolved oxygen, conductivity, and salinity. Average surface depth is 0.3M and total bottom depth is 1.1m


Summary statistics for parameters are summarized below based on the period of record of May 14, 2002 to May 15, 2015.





Min. 1st Qu. Median Mean 3rd Qu. Max. NA's ## 6.69 21.33 25.00 24.27 27.74 33.86 204722




Min. 1st Qu. Median Mean 3rd Qu. Max. NA's ## 0.01 3.98 5.42 5.40 6.62 23.57 204720









| ## | Min. 1 | st Qu. | Median | Mean 3 | rd Qu. | Max. | NA's |
|----|--------|--------|--------|--------|--------|-------|--------|
| ## | a aa | 0 13 | 0.76 | 2 24 | 4 08 | 18 05 | 205703 |




Min. 1st Qu. Median Mean 3rd Qu. Max. NA's ## 9.73 21.39 25.02 24.29 27.75 32.76 168452



Min. 1st Qu. Median Mean 3rd Qu. Max. NA's ## 0.00 2.64 4.75 4.50 6.11 16.56 170261



Min. 1st Qu. Median Mean 3rd Qu. Max. NA's ## 0 264 2180 5948 9710 60800 168456



Southwest Florida Water Management District Continuous Recorder Data

The District has deployed and maintained continuous recorders in Blue Sink and the LHR to monitor various water quality parameters . These data were provided by the District and are described below.

CR 19206 Hillsborough River @ Sulphur Springs

Filename and path: /WMD/Continuous SN 19206

Metadata: This data was downloaded from the Environmental Data Portal. This is hourly water quality data collect by the District at station number 19206. Each parameter contains its own separate file.

Dissolved Oxygen - TSData_SID19206_District_Hour_DO.csv

pH - TSData_SID19206_District_Hour_pH.csv

Salinity - TSData_SID19206_District_Hour_Salinity.csv


Specific Conductance - TSData_SID19206_District_Hour_SC.csv

Turbidity - TSData_SID19206_District_Hour_Turbidity.csv


Water Temperature - TSData_SID19206_District_Hour_WTemp.csv

Qualifier Codes are defined as:


-1 = No code supplied 1 = Good Quality Data 26 = Good Daily Read Records 95 = Estimated 140 = Data Unchecked




```
## Min. 1st Qu. Median Mean 3rd Qu. Max. NA's
## -0.120 2.580 4.630 4.353 6.070 14.190 179
## [1] "-1" "1" "140" "95"
```




```
## Min. 1st Qu. Median Mean 3rd Qu. Max. NA's
## 0.00 7.10 7.27 7.24 7.41 11.72 180
## [1] "-1" "1" "140" "95"
```




```
## Min. 1st Qu. Median Mean 3rd Qu. Max. NA's
## 0.000 0.140 0.620 1.977 3.270 21.100 179
## [1] "-1" "1" "140" "95"
```



```
## Min. 1st Qu. Median Mean 3rd Qu. Max. NA's
## -0.04 300.32 1256.80 3577.40 6036.44 33711.32 179
## [1] "-1" "1" "140" "26" "95"
```



```
## Min. 1st Qu. Median Mean 3rd Qu. Max. NA's
## -4.13 -1.26 -0.18 16.20 1.35 7999.00 179
## [1] "-1" "140" "95"
```




```
##
      Min. 1st Qu.
                     Median
                                Mean 3rd Qu.
                                                 Max.
                                                          NA's
##
      0.00
              22.74
                      25.95
                               25.15
                                        27.95
                                                 32.44
                                                           179
## [1] "-1"
              "1"
                    "140" "95"
```

Blue Sink Water Surface Elevation

Filename and path:

WMD/BlueSink_SN_670721/z_Other/WMD_BlueSink_SN670721_NAVD88_WL.xlsx

Metadata: The District maintains is a single continuous (15 minute) water surface elevation recorder in Blue Sink, station number 670721. Data was downloaded from the Environmental Data Portal. Summary statistics for parameters are summarized below based on the period of record of December 10, 2007 to December 31, 2023



```
## Min. 1st Qu. Median Mean 3rd Qu. Max. NA's
## 14.68 20.83 22.69 21.87 23.11 25.90 58331
## [1] "1" "2"
```

Combine and Export Master Dataset

Filename: LHR_CR_Master

Final Master Continuous Recorder dataset is exported as an R dataset and as a comma separated text file by source due to the large file size.

Descriptive statistics (median and interquartile range) are provided for each variable below. The term "unknown" refers to missing values.

```
## Input object size: 2485107296 bytes; 36 variables 8750335
observations
## New object size: 2450122488 bytes; 36 variables 8750335 observations
```

Variables labels are embedded in Rfile and are as follows:

```
dateTime = "Timestamp",
Flow_Inst = "Flow or Pumpage in cfs",
GH_Inst = "Gage Height (ft)",
GH_Inst_cd = "Gage Height Quality Code",
```

```
Hour = "Hour Time",
TOP Wtemp Inst = "Surface Water Temperature (C)",
TOP_Wtemp_Inst_cd = "Surface Water Temperature Code",
TOP_SpecCond_Inst = "Surface Specific Conductance (us/cm)",
BOTTOM_SpecCond_Inst = "Bottom Specific Conductance (us/cm)",
BOTTOM SpecCond Inst cd = "Bottom Specific Conductance Code",
BOTTOM_DO_Inst = "Bottom Dissolved Oxygen (mg/L)",
TOP_DO_Inst_cd = "Surface Dissolved Oxygen Code",
agency_cd = "Agency Code",
Flow Inst cd = "Flow Quality Code",
tz_cd = "Time Zone",
StationName = "Station Name",
BOTTOM_Wtemp_Inst = "Bottom Water Temperature (C)",
TOP_SpecCond_Inst_cd = "Surface Specific Conductance Code",
Top Sal = "Surface Salinity (PSU)",
BOTTOM_DO_Inst_cd = "Bottom Dissolved Oxygen Code",
MIDDLE_Wtemp_Inst = "Middle Water Temperature (C)",
site_no = "Site Number",
Date = "Date",
BOTTOM_Wtemp_Inst_cd = "Bottom Water Temperature Code",
Bot_Sal = "Bottom Salinity (PSU)",
TOP_DO_Inst = "Surface Dissolved Oxygen (mg/L)",
MIDDLE_Wtemp_Inst_cd = "Midwater Water Temperature Code",
MIDDLE_SpecCond_Inst = "Midwater Specific Conductance (us/cm)",
MIDDLE_SpecCond_Inst_cd = "Midwater Specific Conductance Code",
TOP_Turbidity_Inst = "Surface Turbidity (NTU)",
WSE_NAVD88_ft = "Water Surface Elevation relative to NAVD88")
```