WATER USE PERMIT APPLICATION PUBLIC SUPPLY USE SUPPLEMENTAL FORM E

TABLE OF CONTENTS	PAGE
PART I. GENERAL APPLICANT INFORMATION	1
PART II. PROJECTED DEMAND	2
SECTION A. DEMAND TO BE SUPPLIED BY POTABLE WATER	2
SECTION B. DEMAND PROVIDED VIA A NON-POTABLE DISTRIBUTION SYSTEM	3
SECTION C. COMMON AREA IRRIGATION	4
SECTION D. EXPORTED WATER — CURRENT AND PROJECTED	5
SECTION E. ANNUAL AVERAGE DEMAND MET WITH REGULATED SOURCES	5
SECTION F. ANNUAL AVERAGE DEMAND MET WITH NON-REGULATED SOURCES	5
SECTION G. PEAK MONTH DAILY DEMAND	6
PART III. FUNCTIONAL POPULATION	7
SECTION A. CURRENT FUNCTIONAL POPULATION	7
SECTION B. PROJECTED FUNCTIONAL POPULATION	7
PART IV. FIVE-YEAR AVERAGE PER CAPITA RATE	8
PART V. LOW PERMANENT PERSONS PER HOUSEHOLD	8
PART VI. ALLOWABLE COMPLIANCE PER CAPITA	9
SECTION A. NEW APPLICANTS	16
SECTION B. EXISTING PERMITTEES	9
PART VII. PROPOSED ALLOCATION	10
SECTION A – IMPORTS AND EXPORTS	10
SECTION B. TREATMENT LOSS - CURRENT AND PROJECTED	11
SECTION C. SIGNIFICANT USE DEDUCTIONS - CURRENT AND PROJECTED	12
SECTION D. GOLF COURSE DEDUCTIONS – CURRENT AND PROJECTED	12
SECTION E. ENVIRONMENTAL MITIGATION - CURRENT AND PROJECTED	13
SECTION F. STORMWATER DEDUCTION – CURRENT AND PROJECTED	13
SECTION G. RECLAIMED WATER DEDUCTION – CURRENT AND PROJECTED	15
SECTION H. TOTAL ALLOCATION	16
SECTION I. LOW OR NO GROWTH POPULATION	17
SECTION J. ALTERNATIVE ALLOWABLE PER CAPITA RATE	18
PART VIII. WELLFIELD OPERATION	18
SECTION A. SCHEDULE AND MONITORING	18
SECTION B. DESALINATION	
SECTION C. AQUIFER STORAGE AND RECOVERY	20
PART IX. LEGAL / INSTITUTIONAL INFORMATION	
SECTION A. PUBLIC SERVICE COMMISSION	21
SECTION B. PUBLIC WATER SUPPLY IDENTIFIER	21

PUBLIC SUPPLY USE SUPPLEMENTAL FORM	
SECTION C. WELLFIELD PROTECTION ORDINANCE	21
SECTION D. EASEMENTS	21
PART X. MAPS	21
SECTION A. SERVICE AREA	21
SECTION B. FACILITIES MAP	23
PART XI. BILLING AND METER READING	23
PART XII. WASTEWATER TREATMENT AND USE	24
SECTION A. TREATMENT FACILITIES	24
SECTION B. RECLAIMED WATER QUANTITIES	24
SECTION C. RECLAIMED WATER CUSTOMERS	25
SECTION D. AQUIFER RECHARGE	25
SECTION E. TREATED EFFLUENT DISPOSAL	26
XIII. WATER CONSERVATION	26
PUBLIC SUPPLY SUPPLEMENTAL FORM ATTACHMENT A	27
TYPE A. SINGLE SIGNIFICANT USE	27
TYPE B. DISTRICT-WIDE PERCENT INDUSTRIAL/COMMERCIAL USE	28
TYPE C. COMBINED REGIONAL GOVERNMENT AND HIGHER EDUCATION FACILITIES	30
TYPE D. INDIVIDUAL REGIONAL HEALTH FACILITIES	31
TYPE E. I/C WHERE WATER IS THE PRIMARY INGREDIENT OF THE FINAL PRODUCT	32

7601 Highway 301 North Tampa, Florida (813) 985-7481 or 1–800-836-0797 (FL only) TDD only: 1-800-231-6103 (FL only)

WATER USE PERMIT APPLICATION PUBLIC SUPPLY USE SUPPLEMENTAL FORM E

This form is required for all applicants for Public Supply Water Use Permits (WUPs) for 100,000 gallons per day (gpd) or greater on an annual average basis, regardless whether the water is self-supplied or is obtained wholesale from another provider.

Provide documentation and references where appropriate. This information is requested in accordance with Chapter 373, Florida Statutes (F.S.) and Rules 40D-2.091, 40D-2.101 and 40D-2.301, Florida Administrative Code (F.A.C.).

Guidance and information to assist the applicant in the completion of this form are shown in italics. Circled guidance numbers (③, ②, etc) are provided to assist locating information to calculate proposed quantities. If additional space is required to answer any question, photocopy the appropriate page and complete the pertinent table or chart. Attach the extra pages to this application. For all purposes on this application, requested "current" information is for the most recent complete calendar year. Requested "projected" information is for the year at the end of the permit term.

PART I. GENERAL APPLICANT INFORMATION

Applicant:					
Water Use Permit Number (if any):					
	it? A Wholesale Public Supply Permit is required for those ner public supply permittees that the utility then supplies to its annual average of 100,000 gpd or more.				
☐ Yes ☐ No					
	pplemental form do not apply and may be skipped: PART II, rces; PART VII, SECTION E Environmental Mitigation, and				
	VUP applicant's operation, the following parts of this ION B Demand Provided Via A Non-Potable Distribution Sses and PART VII, SECTION B-1 Treatment Losses				
	ne Department of Environmental Protection (DEP) defines as ervice connections that are used by year-round residents, or I residents.				
Under this definition, is this application being made for a p	oublic water supply utility? ☐ Yes ☐ No				
If "yes," what is the Utility name (if different from applicant	t):				
Whether or not the application is for a public supply utility	, provide the following contact information:				
Water Treatment Plant Facilities Contact					
Name:	Title:				
Telephone: ()					
Service Area Map Contact: ☐ Same as above, or Name:	Title:				
Telephone: ()					

Page 1 of 34

(incorporated by reference in Rule 40D-2.101(1)(e), F.A.C.)

LEG-R.033.02 (5/14)

PART II. PROJECTED DEMAND

In order to accurately calculate total demand, public supply applicants must identify the demand for each of the uses listed in this section. Information typically required to demonstrate reasonable demand for each component may include the number, type, and size of service connections; past monthly pumpage records by use type; projected permanent and temporal population data for the service area; data on the specific uses; development projections; and data specific to the forecasting models used. Demand quantities should be based on quantities required by end-use customers and water losses, not withdrawal quantities. The quantities must be expressed in average annual gallons per day for each component of demand.

• • • • • • • • • • • • • • • • • • • •	le to the projected water demand from ground water, surface water bodies, and not include demand met with reclaimed water (such as residential irrigation).
Projected Demand Year:new and renewal applications.)	(last year of existing permit term for modifications, or end year permit term for

SECTION A. DEMAND TO BE SUPPLIED BY POTABLE WATER

Residential Demand Table

		Current		Projected		
Demand Type	Dwelling Units	Connections	Annual Average (gpd)	Dwelling Units	Connections	Annual Average (gpd)
Residential Single Family						
Residential Multi-Family						
Mobile Home						
Separately Metered Irrigation*						
Totals:						

^{*} Indicate the quantities that are or will be supplied from the potable distribution system through individual irrigation meters or through master irrigation meters to residences. If these quantities are not separately metered, include residential irrigation in the appropriate Residential water demand(s).

	ocumentation	of data	sources and	d calculations	s is attached.
--	--------------	---------	-------------	----------------	----------------

☐ Check here if potable or non-potable water for lawn and landscape irrigation associated with single family, multi-family and mobile home residences is provided by one or more separate entities via centralized irrigation systems and complete the table below:

Provider Name	WUP No. (if any)	Acres	Annual Average gpd Provided
	Total:		

Whether or not such entities have a water use permit for this use, all water supplied by a separate entity for this use must be included as imported water in **PART VII PROPOSED ALLOCATION**, even though the applicant may not have an import agreement with the supplier. For those portions where the irrigation water is supplied by an entity that is not required to have a water use permit under Chapter 40D-2, F.A.C., you must supply an aerial photograph (you may use the District's GIS) with the lawns and landscape acreage delineated that are serviced by these non-WUP entities.

☐ Aerial photograph attached.

Nonresidential Demand Table

Row	Demand Type	Current	Projected

LEG-R.033.02 (5/14) (incorporated by reference in Rule 40D-2.101(1)(e), F.A.C.)

Page 2 of 34

		Number of Connections	Annual Average (gpd)	Number of Connections	Annual Average (gpd)
1	Commercial/Industrial				
2	Commercial/Industrial Irrigation ¹				
3	Recreation/Aesthetic Irrigation ²				
4	Common Area Irrigation ³				
5	Fire Flow 4 (indicate total here; optional for detail)				
6	☐ Annual Fire Flow				
7	☐ Hydrant Testing				
8	☐ Cleaning/Maintenance	_		_	
9	☐ Required Standby Capacity				
10	Treatment Loss by Method ⁵				
11	☐ Aeration				
12	☐ Sand Filtration				
13	☐ Reverse Osmosis				
14	☐ Electrodialysis Reversal				
15	☐ Other (describe below)				
16	Subtotal Treatment Losses:				
17	Water Utility Use ⁶				
18	Line Flushing ⁷				
19	Water Loss ⁸				
20	Totals:				

Other Treatment Method:

- Commercial/Industrial/Institutional Irrigation For accounts where potable water is provided for irrigating lawn and landscape and is separately metered from the water used for the business. If not, include commercial/industrial/Institutional irrigation under general Industrial Commercial demand.
- Include here if the Landscape/Recreation customer is serviced with potable water and has a separately metered irrigation account. General Landscape/Recreation irrigation is for cemeteries, theme parks, water parks, and sports playing fields. Use the Landscape/Recreation Supplemental Form to determine and verify annual average quantities for projected irrigation based on acreage and submit it with this application. Non-metered water provided for general enjoyment of residents is included in common areas (see below).
- Common areas are areas that are designated for common use or enjoyment including entranceways, parking lots and areas around buildings, irrigated areas within roadway right-of-ways (e.g., road and sidewalk medians), open spaces, community areas (such as community club house grounds, tennis courts, playgrounds, etc.) and public parks. If irrigation of common areas is included on this application, the applicant must answer questions in **Section C. Common Area Irrigation**, below.
- ⁴ Fire Flow If water for fire suppression and testing is provided from the potable water source, include the quantities in this table. Attach documentation of the quantities needed. If water for fire suppression and testing is provided from the non-potable source, include the information in the table below.
- ⁵ Treatment Losses The difference between the quantity of water coming into the water treatment plant and the quantity of water leaving the plant (identified in the treatment plant specifications) plus line flushing losses greater than 1% of plant output. Choose as many methods that apply and quantify the treatment losses per method.
- 6 Water Utility Use Uses inside treatment facility (tank cleaning, meter calibration tests, etc., excluding line flushing).
- Line Flushing Treated water used to flush distribution lines to maintain design water quality levels.
- Water Loss Total water plant output (metered) minus accounted uses (estimated or metered). If accounted uses are estimated, provide a description of the estimation process. See Chapter 3, Section 3.6, Part B, Water Use Permit Information Manual for a full description of Water Losses.

SECTION B. DEMAND PROVIDED VIA A NON-POTABLE DISTRIBUTION SYSTEM

Indicate whether the utility provides non-potable water to customers in the service area via a distribution system that is separate from the one used to supply potable water. This water may or may not be treated to improve its quality, but is not treated to potable standards. *Do not include demand met with reclaimed water in this section.*

	District ID		Annual Average Quantities(g	
Use		Owner ID	Current	Projecte
Industrial				
Cooling (all types)				
General Recreation/Aesthetic ¹				
Residential Irrigation ²				
Common Area Irrigation ³				
Industrial or Commercial Irrigation				
Golf Course Irrigation				
Fire Flow				

General Landscape/Recreation use includes water used at cemeteries, theme parks, water parks, and sports playing fields, etc., not including golf course irrigation. For projected water demand, utilize the Landscape/Recreation Supplemental Form and submit it with this application.

Total:

² Lawn and landscape irrigation associated with dwelling units that is provided from the non-potable distribution system.

³ See definition in Section A above. If irrigation of common areas is included, the applicant must answer questions in Section C, below.

SECTION C. COMMON AREA IRRIGATION

Other (describe):

I No Skin to SECTION C

D Voc

1. Information Required: Complete the table below with information on each community's or development's common area acreage to be irrigated. In column B, indicate whether the predominant source of water is ground water (GW), surface water (SW), stormwater captured in impoundments created specifically for the capture of excess stormwater, (ST), reclaimed water (RC), reuse water other than reclaimed or stormwater (RU), or other entity (OT) if the irrigation water is provided by a separate entity. In this last case, indicate in column C the water use permit number for that separate entity. If the entity does not have a water use permit, put "N/A". Quantities supplied by other entities will not be permitted on this permit but will be included in per capita calculations.

A	В	С	D	E	F	G	н
Development or Community Name	Source of Water	If Other Entity, WUP No.	Existing or Proposed ¹ (E / P)	S-T-R ²	Acreage	Annual Average Quantities ³ (gpd)	Peak Month Quantities (gpd)

¹ Indicate whether the common area acreage already exists (E) or if it is proposed (P).

Provide in an attachment the monthly meter data in comma delimited format if the water used for irrigation of common areas is metered. If it is not, explain in an attachment how communities are billed for the use.

□ Attached

- 2. Conservation Requirements: Non-governmental applicants for water supply for a residential development shall submit an attachment that demonstrates that irrigation of common areas is, or will be, minimized and that the following practices are utilized for both existing and proposed common areas:
 - **a.** Alternative water supplies are used to the maximum extent that is technically, environmentally and economically feasible.

² Predominant Section(s)-Township-Range where the common area acreage is located.

³ Reasonable-beneficial quantities required.

- **b.** The irrigated acreage of common areas is or will be minimized through the use of vegetation that require minimal supplemental irrigation, where practical.
- c. The local government responsible for the issuance of building permits for the project has adopted an ordinance incorporating the principles of Florida-friendly landscaping; or, the applicant will implement Florida-friendly landscaping consistent with section 373.185, F.S.
- d. Irrigation systems are limited to high efficiency systems with properly installed, maintained and operational rain or soil moisture sensor shutoff devices. Irrigation systems are properly maintained and incorporate the standards set forth in the Landscape Irrigation and Florida Friendly Design Standards, dated December 2006, developed pursuant to Section 373.228(4), F.S., and incorporated herein by reference. The Standards are available upon request from the District and at www.dep.state.fl.us.

Documentation	

□ N/A. The applicant is a governmental entity.

Note: For residential developments where all or a portion of the indoor and outdoor use is supplied by another entity (imported), the quantity allocated for irrigation shall not exceed the quantity that, in combination with the imported quantity, is within the allowable per capita limitation for public supply use for that development.

SECTION D.	EXPORTED WATER	— CURRENT	AND PROJECTE	D
------------	----------------	-----------	--------------	---

	There are no	exports on	this permit.	Skip to	SECTION E.
--	--------------	------------	--------------	---------	------------

Provide the total annual average quantities of water currently exported in bulk and projected to be exported in bulk to other entities outside of the service area. Details are requested later in this application.

Current:	apd	Projected:	qı	00

SECTION E. ANNUAL AVERAGE DEMAND MET WITH REGULATED SOURCES

Summarize the demand from Sections A, B and D above with respect to the source of the water used to meet the demand.

Not applicable. This is a wholesale public supply utility (there are no withdrawal quantities requested from ground water, surface water or stormwater sources).

Summarize the demand quantities from the applicant's regulated sources (ground water, surface water and stormwater). Separate these quantities according to source type. Do not include imported, reclaimed water, sea water, or other alternative water supplies; they are included in the next section. Include desalination of ground or surface water having a total dissolved solids concentration less than 10,000 mg/l in the appropriate ground water or surface water category.

Regulated Source Types	Current Annual Average gpd	Projected Annual Average gpd
Ground Water		
Surface Water ¹		
Stormwater ²		
Total:		

¹ Rivers, streams, canals, inline reservoirs, or lakes. Stormwater captured in natural water bodies is considered surface water.

SECTION F. ANNUAL AVERAGE DEMAND MET WITH NON-REGULATED SOURCES

This category includes reclaimed water used to meet demand regardless of whether it is self-supplied or externally supplied. Imported water is water currently supplied and projected to be supplied in bulk from other entities, including water that is received from other permittees with which they have interconnected service areas. Utilities that provide water for only indoor residential potable use (for example, due to the presence of a withdrawal point or withdrawal points owned or operated by another entity, including the community being supplied) are to show these externally

² Show only quantities captured in impoundments created specifically for the capture of excess stormwater.

supplied quantities as imports. Include seawater desalination in this category if quantities are derived from the Gulf of Mexico, bay or other water body continuously open to the Gulf of Mexico having a total dissolved solids concentration greater than or equal to 10,000 parts per million. Desalination of saline to brackish water with less than this concentration total dissolved solids is regulated and should be included in **Section E**, above, in the appropriate ground water or surface water category.

□ Not applicable; if there are no quantities in this category, skip to **Section G**.

TABLE A

	1	2	3
		Current	Projected
	Non-Regulated Source Types	Annual Average	Annual Average
Row		gpd	gpd
1	Reclaimed Water		
2	Imported Water		
3	Seawater (desalinated)		
4	Total:		

TOTAL PROJECTED DEMAND: Add the projected totals from Sections E and F: _____ gpd ①

SECTION G. PEAK MONTH DEMAND

Peak Month is the amount of water required during the highest water use month divided by the number of days in that month. It is also the quantity that is analyzed for withdrawal-related impacts; therefore, the permitted peak month total are those quantities withdrawn from the regulated resources during the highest use month.

are	e those quantities withdrawn from the regulated resources during the highest use month.
1.	Existing Permittees : In order to determine peak month daily demand, the highest monthly quantity actually used (from all sources including imported water in gallons per day) for the previous five years is divided by the annual average daily use for that same year to derive a coefficient for projecting peak month water demand.
	a. Highest monthly use: gpd Month/Year:
	b. Annual average use for same year: gpd
	c. Peak monthly water use coefficient (a ÷ b):
	d. Provide documentation and calculations for the peak month proposed quantities.
	☐ Attached
2.	New Applicants : A maximum peak monthly water use coefficient of 1.12* can be used to predict peak monthly water demand for new applicants. If a higher peak month water use coefficient is used, the applicant must submit documentation for the higher value.
	* Derived from Table A4 in "Estimated Water Use, 2006", SWFWMD
	Water use coefficient if other than 1.12 is used:
	□ Documentation attached.
3.	Peak Month Daily Quantities: Multiply the total projected annual average quantity from regulated sources calculated in Section E on the previous page by the peak month water use coefficient: gpd

PU	BLIC SUPPL	Y SUPPLEMENTAL F	FORM						<u>PART II</u>	
			PART III.	. FUNC	TIONAL	POPUL	_ATION			
ÈΕ	CTION A. Cu	RRENT FUNCTIONAL I	POPULATION	<u>l</u>						
	Existing P									
	•	evious calendar yea	r Functional	l Popula	tion from th	e Annual	Report:		persons.	
	New Applicants: If this is a new application, Current Functional Population = 0. If this is a new application because the previous permit expired, use the previous calendar year Functional Population from the Annual Report submitted for the previous permit: persons.②									
Ξ	CTION B. PR	OJECTED FUNCTIONA	L POPULATI	<u>ON</u>						
9	plicants can e end of the p		Utility Dem	ographic hodolog	y in Table E	3 to deter	mine the com	ponen		
	provided or Population	n the District's webs	ite (<u>www.wa</u> pplicant mu	atermatt ust verify	ers.org/data that its ser	a/demogr vice area	<u>aphics</u>). On th i is the same a	ie web as depi	graphics methodology page, go to "GIS Mo cted on the District's Table A below.	
					Table A					
		SER	VICE AREA	PROJEC	TED FUNC	TIONAL P	OPULATION			
	Year	Residential Permanent/Seasonal		Tourist		Net (Net Commuter		Functional Population	
									2	
Print and annotate the web spreadsheet with applicant name, WUP application number and the <i>original Difile name</i> (which contains the date), and attach to this application. Demographics spreadsheet is attached; other documentation is not required. 2. Applicant Method: (See Water Use Permit Information Applicant's Handbook.) Attach a description of the methodology used for all components of the projected functional population and document the source for the Summarize the population components in Table B below for the year at the end of the permit term.							lescription of the the source for the da			
		PROJE	CTED POPU	ILATION	Table B COMPONE	NTS				
	Year	Permanent Population		Seasonal Adjustment		justment	Commute Adjustme		Total Functional Population	
									2	
		e of components for the calculations mad				n:				

PART IV. FIVE-YEAR AVERAGE PER CAPITA RATE

SECTION A. NEW APPLICANTS

New Applicants will calculate a projected Unadjusted Gross Per Capita and use it if it is less than 150 gpd: **Skip to PART VII PROPOSED ALLOCATION, SECTION H**.

SECTION B. EXISTING PERMITTEES

Because per capita rates can fluctuate in the short term, the District uses a five-year average of the compliance per capita rates to determine permitted quantities. In the table below, these five years are presented as "t" for the previous full calendar year, and t-1, t-2, t-3 and t-4 for the four previous years.

Available deductions to the per capita rate varied by location in the District prior to 2009; therefore, the applicant may utilize current deductions (given in detail for the projected compliance per capita in **PART VII. PROPOSED ALLOCATION**) to recalculate compliance per capita for each year that is used to calculate the five-year average. If additional deductions are not taken, enter zeros in the "Sum of Documented Additional Deductions" column.

Time	Year	Lowest Per Capita Submitted*	Sum of Documented Additional Deductions	Adjusted Previous Compliance Per Capita**			
t							
t-1							
t-2							
t-3							
t-4							
	Fire Veen Arene ne**						

Five-Year Average**

PART V. LOW PERMANENT PERSONS PER HOUSEHOLD

If there are fewer than 2.01 permanent persons per household (PERMPPH) in the service area, and the five-year average compliance per capita rate calculated in **PART IV** is greater than 150 gpd, an adjustment to the projected population can be made to compensate for this. The applicant can calculate the PERMPPH using the District website or calculate PERMPPH per instructions in Part D of the Water Use Permit Information Manual. The website has a worksheet found under the subheading "Population Data by Utility Service Area" at www.watermatters.org/data/demographics.

 Thianche i croons i ci riouschola (i Eram i rij.
eck the box to indicate how Persons Per Household was calculated and provide the new Permanent Persons r Household number.
From the District website (PERMPPH) =
Calculated by applicant: (copy of appropriate worksheets must be attached)
□ Attached
he permanent persons per household number is less than 2.01, continue. If it is greater than or equal to 2.01, an justment to the function population is not allowed.
calculate Projected Functional Population: The method to adjust the projected functional population is pendent upon the method used by the applicant to determine the projected functional population. The

2. Recalculate Projected Functional Population: The method to adjust the projected functional population is dependent upon the method used by the applicant to determine the projected functional population. The adjustment may not be applied to non-permanent residents. Check the box on the next page to indicate which method was used.

LEG-R.033.02 (5/14)

^{*} The lowest per capita rate submitted by the applicant on previous public supply survey forms (unadjusted, adjusted or compliance per capita rates).

^{**} Documentation of any additional deductions and calculations of adjusted compliance per capita rates must be attached if they were incorporated into the the adjusted previous compliance per capita.

PU	BLIC SU	JPPLY SUPPLEMENTAL FORM	PARTS V & VI
	а. 🗆	Projected Population Based Method – If the population projection methodology isolates population, then that portion of the projected permanent population may be increased by the PERMPPH (2.01 divided by PERMPPH) for existing service areas, or 2.01 divided by the permanent persons per household for new service areas.	ne ratio of 2.01 to
	b. 🗆	Projected Dwelling Unit Method – If the population projection methodology is based on r projected number of dwelling units times permanent persons per household, a value of 2.0 calculating the projected permanent residential population.	
		culated Functional Population:	used in the PART
		PART VI. ALLOWABLE COMPLIANCE PER CAPITA	
Allo per	owable mit plus	sed annual average allocation quantities will be based on the projected functional population Compliance Per Capita (CPC) that was calculated using historic use in PART IV for the dures a quantity that is equal to the allowable deductions and adjustments itemized in PART VII FION . New applicants, skip this section.	ation of the
SE	CTION A	. FIVE-YEAR AVERAGE CPC = 150 GPD OR LESS	
		year average CPC rate calculated in PART IV, FIVE-YEAR AVERAGE PER CAPITA RATE 50 gpd, then the Allowable CPC is equal to the five-year average CPC. ③	E is less than or
les five	s than d e-year a	"Alternative Allowable Compliance Per Capita" is available to applicants having a five-year a or equal to 150 gpd in PART VII PROPOSED ALLOCATION, Section J , if the quantity calc average CPC plus allowable deduction is less than the total substantiated projected annual derived in PART II, Section F . Skip to PART VII, PROPOSED ALLOCATION.	culated using the
SE	CTION B	. Five-Year Average CPC is Greater than 150 gpd	
1.	linear capita diminis	expiration date is prior to 2019: The Allowable CPC will be determined for the year the printerpolation of per capita rates between the permittee's five-year average CPC in 2009 an required in 2019. Should this application be approved, the permittee will be expected to make the permit according to slope of the line connection the required allowable CPC, as reported in the Annual Report. The equation for this interpretation.	d 150 gpd per eet the ing the initial
	Allo	wable CPC = 2009 _{CPC} - ([2009 _{CPC} - 150] x [YYYY - 2009]) /10 = gpd (where:
	•	2009 five-year average compliance per capita = 2009 _{CPC} = gpd (The applic this according to the method given in PART IV FIVE-YEAR AVERAGE PER CAPITA RATI 2019 compliance per capita = <u>150 gpd</u> YYYY = Permit expiration year	ant is to calculate E above.)
	expi	mple: If the 2009 five-year average compliance per capita (2009_{CPC}) was 187.5 and the anti ration date of the permit is 2017 , then: wable CPC = $187.5 - ([187.5-150] \times [2017-2009]) /10 = 157.5$ gpd	cipated
2.		expiration date is 2019 or later: If the permit expires in 2019 or after 2019, the Allowable	CPC used to
۷.	calcula	ate quantities is set to 150 gpd ③; however, per capita compliance will be against a diminis me according to the linear interpolation between the 2009 five-year average compliance pe	hing CPC rate
	consen reques	event that the provisions of setting the Allowable Compliance Per Capita conflict with provising order existing as of 2009, the terms of the permit or consent order shall prevail. However, that a modification of the permit condition or consent order in order to apply this section in lieut condition or consent order provision.	a permittee may

PART VII. PROPOSED ALLOCATION

New Applicants, skip to Section H. It is in the interest of the applicant to identify and document existing and projected allowable deductions. If not accurately identified and documented, sufficient quantities may not be permitted. All water quantities in the calculations below are averages in gallons per day. The annual average daily allowable withdrawal quantities shall be calculated using the following formula for the expiration year of the permit in **Section H** of this **PART VII**:

([Projected functional population] **x** [allowable per capita rate]) – projected imports + projected exports + projected significant use deductions + projected golf course deductions + projected environmental mitigation deductions + projected stormwater deductions + projected reclaimed water deductions = **SUBTOTAL WITHDRAWALS**.

TOTAL ALLOWABLE WITHDRAWAL QUANTITY = SUBTOTAL WITHDRAWALS + [Subtotal withdrawals **x** projected treatment loss percentage] **+** [no more than 1% of the treated water volume for flushing distribution lines for potability]

Complete **Sections A – G** on the following pages to determine the values for the components of this equation.

SECTION A - IMPORTS AND EXPORTS

- ☐ There are no imports/exports on this permit. Skip to **Section B**.
- 1. Provide information on the amounts of water imported and exported annually. (The totals should match the totals given in PART II, PROJECTED DEMAND) Indicate whether it is potable (P) or non-potable (N) in the second column.

Supplier Name	P or	WUP No.	Contact Person	(Area Code) Telephone Number	Annual Average Quantities Imported (gpd)		
	N	(if any)			Current	Projected	
			(4	Total Imports			

Receiver Name		WUP No.	Contact Person	(Area Code) Telephone Number	Annual Average Quantities Exported (gpd)		
Trouble Hamb		(if any)			Current	Projected	

- **2. Export Agreements**: Applicants supplying wholesale customers must require their customers to provide certain information so that the applicant can submit accurate information to the District in the Annual Report.
 - **a.** Provide a written agreement from each wholesale customer that <u>does not</u> have its own wholesale public supply water use permit, that it will abide by the water conservation terms and conditions of this permit and provide water demand and water use data as necessary for annual reports.
 - ☐ An export agreement from each export customer is attached.
 - □ Not applicable; there are no exports to customers that do not have their own wholesale public supply water use permit.

LEG-R.033.02 (5/14)

(incorporated by reference in Rule 40D-2.101(1)(e), F.A.C.)

Page 10 of 34

<u>PUBL</u>	C SU	PPLY SUPPL	EMENTAL	FORM					PART VII
b	 b. Provide a written agreement from each wholesale customer that <u>has</u> its own wholesale public supply water use permit, that it will provide the applicant with water demand data as necessary for annual reports. Export agreement from each export customer is attached. Not applicable; there are no exports to customers that have their own wholesale public supply water use permit. 								
SECTI	ON B.	TREATMENT	Loss - C	URRENT	AND PROJECTED				
withd	awal	points) and t	he amoun	it of wa		ater entering the wate int plus up to 1% of th ity.			
tr st tr v	eatme andar e per olume	ent plants tha rds. "Current mit term. The	at treat for " refers to e projected atment pla	potabili the pre d treatn	ity as well as for to vious full calenda nent losses can b	below to determine to reatment plants that the ryear and "Projected e calculated using the lume into the treatme	reat water by refers to the ratio of cur	out not under the antice the second the seco	p to potability ipated last year of ses to current
		Α	В		С	D	E		F
Ro		Level of Treatment	Time Pe	eriod	Annual Average Volume Entering the Treatment Plant (gpd)		Quantit Leaving Treatment are Mete (Y / N	the Plantered	Treatment Losses (gpd) Col. C – Col. D
1		Potability	Curre	ent	(0)		,		
2		Potability	Projec	ted					
3		Non-	Curre	ent					
4		Potability	Projec	ted					
5		Total	Curre	ent					
6			Projec	ted					
		Documentati	on (meter	data) a	ttached.				
С	urren	t Treatment	Loss Pe	rcentag	ge ([Row 5, Col. F	/ Row 5 Col. C] x 10	0) =		_% ⑥
Р	rojec	ted Treatme	ent Loss F	Percent	age ([Row 6, Col.	F / Row 6 Col. C] x	100) =		% 6
		ution Line F g for water qu				e average quantity lo	st in the dis	tribution	system due to line-
th C C	e dec urren olum	luctable flush t annual ave	ning line lo rage treate Projected	sses (0 ed wate annual	Column E). In Coler leaving the plan I average treated	otal quantities used to lumn C, include both t is the same number water leaving the pla	potable and as indicate	d non-po ed in the	otable treated water. previous Table, in
A	•	В			С	D	,		E
Tim Peri		Annual Aver			Average Treated Leaving the Plant	Multiply Annual Avera	ge Treated		nter the Lesser of umn B or Column D

Time Annual Average for Annual Average Treated Deductible Flushing Losses (gpd) Enter the Less	
Period Flushing (gpd) Water Leaving the Plant (gpd) Multiply Annual Average Treated (Col. C) by 0.01 Column B or Col	
Current	7
Projected	7

Attach documentation of the quantities used for flushing.	These can be meter readings or estimates based or
hours of operation and pump capacity.	

Documentation	

LEG-R.033.02 (5/14) (incorporated by reference in Rule 40D-2.101(1)(e), F.A.C.)

Page **11** of **34**

SECTION C. SIGNIFICANT USE DEDUCTIONS - CURRENT AND PROJECTED

Applicants may deduct certain non-residential significant uses from the utility's total gross water demand to calculate an adjusted gross per capita rate if documentation and appropriate water conservation plans are submitted. See the *Water Use Permit Applicant's Handbook Part B* under "Significant Use" section for expanded explanations of what can be deducted.

be	deducted.							
	No Significant Use deductions or proposed deductions are taken. Skip to Section D .							
1.	. Current Significant Use Deductions:							
	 Existing SWUCA permittees may attach the Significant Use portion of the previous calendar year's Annual Report. Non-SWUCA permittees are to complete <i>Attachment A, "Significant Use Deductions."</i> 							
2.	Projected Significant Use Deductions : All applicants are to complete <i>Attachment A, "Significant Use Deductions"</i> to itemize and calculate allowed deductions.							
3.	Total Significant Use Deductions: Total the allowed deductions from Attachment A.							
	Current: gpd 8 Projected: gpd 8							

SECTION D. GOLF COURSE DEDUCTIONS - CURRENT AND PROJECTED

Annual average quantities provided or anticipated to be provided for reasonable-beneficial golf course irrigation quantities from ground water, surface water, reclaimed water or stormwater may be separately deducted.

- Quantities for golf course irrigation were not and are not to be included on this permit. Skip to **Section E**.
- 1. Eligible Quantities: The annual average quantities provided to golf courses meet the following criteria:
 - **a.** Quantities provided to existing golf courses are separately metered, and anticipated quantities to be provided to future golf courses will be separately metered. Meter data must be attached.
 - **b.** Golf courses are or will be located inside the service area.
 - **c.** Quantities provided to existing golf courses are included in the currently permitted quantities for this permit and were reported as withdrawals in the previous annual report.
 - **d.** Quantities for future golf courses in this service area are included as requested quantities on this application and will be reported as withdrawals on future submissions of the annual report.
- 2. Deducted Quantities: Complete the table below with data for Existing (indicate E in the first column) and Proposed (indicated P in the first column) golf course(s). Indicate the type(s) of water (all that apply) for the golf course: Ground Water (GW), Surface Water (SW), Stormwater (ST), Reclaimed Water (RW).

E	Golf Course Name	Source	Quality Treated ¹ (Y/N)	S-T-R ²		Annual Average		
or P					Fairways	Tees & Greens	Rough ³	Quantities Provided ⁴ gpd

¹ Indicate whether the quantities provided are treated to improve the quality.

² Predominant Section-Township-Range where the golf course is located.

If the golf course is located in the SWUCA or the NTBWUCA, do not include the acreage of the roughs. Do not include roughs acreage anywhere in the District after January 2012.

⁴ Provide monthly meter data in comma-delimited format if this deduction is taken for existing golf course for the previous calendar year. Provide quantities requested for proposed golf courses.

<u>PU</u>	BLIC	SUI	PPLY SUPPLEMENTAL FORM			PART V	<u>/11</u>
					s allowed to be deducted are the for reasonable-beneficial use by t		
3.	Tot	tal a	nnual average for golf course	de	duction:		
	Cui	rrent	:gpd 9		Meter data attached		
	Pro	jecte	ed:gpd		A letter of intent from each prosp document likelihood of the project	ective golf course owner(s) to ted golf course demand is attached	d.
SE	CTIO	ΝE.	ENVIRONMENTAL MITIGATION - (CUR	RENT AND PROJECTED		
qua	antiti ⁄iron	es th	nat are to be permitted on this p	erm ng is	it for District-required environmer s required and the applicant may i	red environmental mitigation and/o ntal mitigation. For existing request an output file from the Distr	
-	Ther	e ar	e no deductions for environmen	tal r	mitigation. Skip to Secтion F .		
1.	Cu	rren	t Environmental Mitigation Qu	ıan	tities		
		The The are		t fo	r existing environmental mitigation as been reviewed and changes ar	n has been reviewed and is acceptore suggested. (The proposed change)	
		Du	a mo lo attaonoù.				
2.	tha qua	t ado antiti	litional environmental mitigatior	l wa	is going to be required, that amou ot, then input the same value for	meeting, the applicant was apprise int can be added to the projected projected as is entered for current.	ed
3.	Tot	al A	nnual Average Environmenta	I M	itigation Deduction:		
	Cui	rrent	:gpd 10		Projected:	gpd 🔟	
SE	יחודי	N F	STORMWATER DEDUCTION - CUI	DDE	NT AND PROJECTED		
Pei	mitt	ed s		ovic	led or are proposed to be provide	d to water users other than golf	
			ater quantities are not deducted		·		
	1.	Eliç tha	gible Deductions: Check each are provided by the applicant or rse use inside the service area	box can shc	to indicate that the criteria listed be deducted. Note, stormwater quuld be deducted under the Golf C	is met for the stormwater quantities uantities that are provided for golf course deduction in Section D above	
	a.	_	Stormwater is or will be capture		• • • • • • • • • • • • • • • • • • • •		
	b.				d inside the applicant's service ar I to irrigate golf courses inside the		
	c. d.		•		e, separately metered and report		
	e.		Current stormwater quantities a	are	or will be permitted and/or project	ed stormwater quantities will be	on)
	f.		The quality of the stormwater is	s lov	ver than the groundwater source	a (other than for golf course irrigation that is being replaced, unless the u	•
	g.		The stormwater withdrawal qua	antit		exceed the lesser of (a) the quantiti	
	h.		• • • • • • • • • • • • • • • • • • • •	poi	nts from the stormwater impound	e use as determined by the District ments are or will be metered and m	
			,	-	, -		
LEG	G-R.0	33.02	(5/14) (incorporated by referen	nce i	n Rule 40D-2.101(1)(e), F.A.C.)	Page 13 of 34	

2. Annual Average Quantities: Complete the information and table below with stormwater quantities provided to customers for non-irrigation use. *Make copies to add more customers. A customer can be listed twice – as current and as projected. Do not check Current and Projected in the same column.*

and as projected.	DO HOL CHEC	K Current an	I <i>a i Tojee</i>	ica iii tiic sairic		•		
	Custo	mer 1	Cı	ustomer 2	C	Sustomer 3	Custome	r 4
Customer Type	☐ Current☐ Projecte	d	☐ Current☐ Projected		☐ Cur ☐ Pro	rent jected	☐ Current☐ Projected☐	
Customer Name								
WUP No. (if any)								
Contact Name								
Telephone No.								
Annual Average Quantities (gpd) ¹								
District ID No(s).								
Customer's Use ²	☐ Industrial/Commercial ☐ Non-irrigation recreation or aesthetic ☐ Other		☐ Non-i	ation or aesthetic	☐ Industrial/Commercial ☐ Non-irrigation recreation or aesthetic ☐ Other		☐ Industrial/Commercial ☐ Non-irrigation recreation or aesthetic ☐ Other	
between the app If the customer's not include then Meter docume	☐ Contract/agreement documents attached.							
ii aio odotomoi o o	200 10 01 11111	Custon		Customer	r 2	Customer 3	Custo	mer 4
Crop/Plant Type								
S-T-R ¹								
Total Acreage								
Acreage for Golf								
Fairways								
Tees / Greens								
Roughs ²								
Irrigation Method	mtition (
² Stormwater pi	ons, township rovided for in	rigation of ro	oughs in		ution A	rea is not deducta ted anywhere in t		igation
	used to dete	rmine irrigat	ion quan	tities. Output file	e is atta		•	
. Subtotal annual a			ovided f	or non-irrigatio Projected:		gpd		
Subtotal annual a	_		rirrigatio	on (This is the am Projected:		•	d by the District.)	

(incorporated by reference in Rule 40D-2.101(1)(e), F.A.C.)

LEG-R.033.02 (5/14)

Page 14 of 34

<u>P</u>	UBLIC SUPPLY SUPP	PART VII						
6	. Total annual ave	rage stormwater deduc	tion (Add rows 4 and 5.)					
		gpd (11)		gpd ($\widehat{\mathbb{H}}$			
S	ECTION G. RECLAIMED WATER DEDUCTION – CURRENT AND PROJECTED reclaimed water is provided to customers and meet the eligibility for deductions in No. 1 below, then 50% of the							
lf	reclaimed water is p		d meet the eligibility for d					
	Reclaimed water is	s not provided to such cu	ustomers. Skip to Sectio l	n H.				
1	 Eligible Deductions – Check the box to indicate that the criteria are met for the reclaimed water provided: a. □ The reclaimed water is provided for a reasonable-beneficial use (See the <i>Water Use PermitApplicant's Handbook</i>, Part B). b. □ The reclaimed water does not replace existing demand on the applicant's potable system. c. □ The reclaimed water has received at least secondary treatment. d. □ The reclaimed water was neither claimed under the Stormwater Deduction for a golf course in Section F, above nor deducted under the Golf Course deductions in Section D. e. □ The reclaimed water is provided to: (1) □ Metered uses located outside the utility potable service area boundary, and/or (2) □ A single-site, separately metered use within the utility potable service area boundary that used 25,000 gallons per day or more on an annual average basis during the previous calendar year or is projected to use 25,000 gallons per day or more on an annual average basis, and (a) □ The reclaimed water is not nor will not be provided for residential irrigation (single family, multifamily or mobile home) (b) □ The reclaimed water is not nor will not be provided for common area irrigation, including entryways, parking lots, irrigated areas within roadway right-of-ways (e.g., road and sidewalk medians), open spaces, community areas (such as community club house, tennis courts, playgrounds, etc.), and 							
	-	aces, community areas (s olic parks.	such as community club	house, tennis courts, pla	ygrounds, etc.), and			
2	. Annual Average of Indicate if the receithis page to add m	Quantities - Complete the iver is included in the an ancre customers. A custometed in the same column.	nual report (Annual Recl ner can be listed twice –	aimed Water Supplier Re	eport). <i>Make copies of</i>			
		Customer 1	Customer 2	Customer 3	Customer 4			
	Customer Type	☐ Current☐ Projected	☐ Current☐ Projected	☐ Current☐ Projected	☐ Current☐ Projected			
	Name							
	WUP No. (if any)							
	Contact Name							
	Telephone No.							
	Annual Average Provided (gpd) ¹							
	Customer's Use ²	☐ Industrial/Commercial☐ Non-irrigation recreation or aesthetic	☐ Industrial/Commercial☐ Non-irrigation recreation or aesthetic	☐ Industrial/Commercial☐ Non-irrigation recreation or aesthetic	☐ Industrial/Commercial☐ Non-irrigation recreation or aesthetic			
	Provide the meter data for the previous calendar year for current quantities. Provide contract or agreements between the applicant and receiver for proposed quantities. Do not include irrigation quantities provided for residential lawns/landscape or for common areas or if the reclaimed water was deducted under Golf Course deductions in Section D. Reclaimed water meter documentation attached. Reclaimed water contract/agreement documents attached.							
LI	EG-R.033.02 (5/14)	(incorporated by reference in	n Rule 40D-2.101(1)(e), F.A.C.) Page 15 of 3	34			

If the reclaimed water is provided for irrigation other than for residential lawn/landscape use or for common areas, and it was not deducted under the Golf Course deductions in **Section D**, complete the following table.

	Customer 1	Customer 2	Customer 3	Customer 4
Crop/Plant Type				
S-T-R ¹				
Total Acreage				
Acreage for Golf				
Fairways				
Tees / Greens				
Roughs ²				
Irrigation Method				
Annual Average Quantities Gpd				

	not permitted there. After 5	anuary 1, 2012, 11 18 1	ioi permilieu arrywnere ii	in the District.					
3.	 Irrigation calculation method - Indicate how irrigation quantities were calculated. □ AGMOD was used to determine irrigation quantities. Output file is attached. □ An alternative method was used to determine irrigation quantities. Documentation is attached. 								
4.	Subtotal annual average re	claimed water pro	ovided for non-irrigat	ion					
	Current:	gpd	Projected:	gpd					
5.	Subtotal annual average re District.)	claimed water allo	owed for irrigation (T	nis is the amount that would be permitted by the	те				
	Current:	gpd	Projected:	gpd					
6.	Total Reclaimed Water Pro	vided							
	Current:	gpd	Projected:	gpd					
7.	provided, or 50% of those the irrigation allocation program.	at would be permitt AGMOD to determ	ed for the use by the Dine which amount is ap	of either 50% of the quantities actually District. For irrigation use, use the District Opropriate (actual amount provided or Oprovided for non-irrigation use to the lesse					
	Current deduction:	gpc	x 50% =	gpd 12					
	Projected deduction:	gpc	1 x 50% =	gpd 12					

SECTION H. TOTAL ALLOCATION

New Applicants

Unadjusted Gross Per Capita: Sum the requested quantities from regulated sources (PART II, Section E) plus imports (PART II, Section F, Table A Line 2) minus exports (PART II, Section D) minus treatment losses (PART II, Section A.

Nonresidential Demand Table Line 16) and divide by the Functional Population (PART III, Section B) = _____ gpd/person. New applicants are restricted to an allowable CPC ≤ 150 gpd. Input the lesser of the Unadjusted Gross Per Capita or 150 gpd in Row 1 Column C in Table H on the next page. ③

Primary sections, township and range where the water is used.

Stormwater provided for irrigation of roughs in a Water Use Caution Area is not deductable because irrigation of roughs is not permitted there. After January 1, 2012, it is not permitted anywhere in the District.

PART VII

Complete the information for components of the allocation. Units are annual average gallons per day. TABLE H

Colum	n → A	В	С	D
Row	COMPONENT or DEDUCTION	CURRENT	PROJECTED	Data Source w/in this Application
1	Allowable Compliance Per Capita (gpd)			PART IV, SECTION B for Current and PART VI ③for Projected
2	Functional Population (persons)			PART III; PART V ②
3	Subtotal population based demand (gpd) (Row 1 x Row 2)			
4	Imports (gpd)			PART VII SECTION A 4
5	Exports (gpd)			PART VII SECTION A 5
6	Significant Uses (gpd)			PART VII SECTION C, No. 3 8
7	Golf Course Irrigation (gpd)			PART VII SECTION D, No. 3 9
8	Environmental Mitigation (gpd)			PART VII SECTION E, No. 3 10
9	Stormwater (gpd)			PART VII SECTION F, No. 6 1
10	Reclaimed Water (gpd)			PART VII Section G, No. 7 12
11	Subtotal Demand Quantities (<i>gpd</i>) (<i>Rows</i> 3 - 4 + 5 + 6 + 7 + 8 + 9 + 10)			
12	Treatment Loss Percentage			PART VII SECTION B, No. 1 6
13	Treatment Loss Percentage x Subtotal (gpd) (Rows 11 x 12)			
14	Line Flushing Quantities Allowed (gpd)			PART VII SECTION B, No. 2 7
15	Total Withdrawal Quantities (gpd)* (Rows 11 + 13 + 14)			
,	If the Projected Total Withdrawal Quantities are gre	eater than the applic	ant's requested qu	antities, the applicant's

SECTION I. LOW OR NO GROWTH POPULATION

- 1. Eligibility If the following criteria pertain to the applicant's situation, an adjustment to projected total requested withdrawal quantities can be made:
 - a. This is an application for renewal or modification of an existing permit, and
 - b. The service area has low or no growth in population from time of application to permit term, and
 - c. The most recent five-year average compliance per capita rate (Table H, Row 1, Column B on the previous page) is greater than 150 gpd, and
 - d. The projected total requested withdrawal quantity (Table H, Row 15, Column C) is:
 - (1) Less than the current total withdrawal quantity shown in Table H, Row 15, Column B, or
 - (2) Less than what was permitted at year end 2009. 2009 Permitted Annual Average Quantities: _____ _____ gpd (as of December 31, 2009)
 - ☐ The above criteria are not met. Skip to PART VIII. WELLFIELD OPERATION
 - ☐ The above criteria are met. Continue.

LEG-R.033.02 (5/14) (incorporated by reference in Rule 40D-2.101(1)(e), F.A.C.) Page **17** of **34**

requested quantities will be the quantities considered for a permit.

PU	BLIC SUPPLY SUPPLEMENTAL FORM	PARTS VII & VIII
2.	Compliance Per Capita Rate - The projected total requested withdrawal quantity can equal the functional population (Table H, Row 2, Column C) multiplied by the 2009 five-year average corate. Calculate the 2009 five-year average compliance per capita (Average CPC from 2005, 2009 as taken or adjusted from previous Annual Reports.)	ompliance per capita
	2009 Five-Year Average Compliance Per Capita Rate = gpd	
3.	Adjusted Total Requested Withdrawal Quantities: Multiply the 2009 five-year average corrate times Projected Functional Population in Row 3 of Table H = gpd replaces the quantity calculated in Table H, Column C, Row 15 as total requested withdrawal	I. This quantity
4.	Compliance - Permit per capita compliance will be against a diminishing Compliance Per Capaccording to the linear interpolation between the recent five-year average compliance per capaccording to the linear interpolation between the recent five-year average compliance per capaccording to the linear interpolation between the recent five-year average compliance per capaccording to the linear interpolation between the recent five-year average compliance per capaccording to the linear interpolation between the recent five-year average compliance per capaccording to the linear interpolation between the recent five-year average compliance per capaccording to the linear interpolation between the recent five-year average compliance per capaccording to the linear interpolation between the recent five-year average compliance per capaccording to the linear interpolation between the recent five-year average compliance per capaccording to the linear interpolation between the recent five-year average compliance per capaccording to the linear interpolation between the recent five-year average compliance per capaccording to the linear interpolation to the linear interpolati	
SE	CTION J. ALTERNATIVE ALLOWABLE PER CAPITA RATE	
is a	is adjustment to the Allowable Compliance Per Capita (CPC) rate used in the Table in Section available only to existing permittees that have a five-year average compliance per capita rate lesom PART IV) but a higher rate is required per demand substantiated in PART II , Section F ①. Innot exceed 150 gpd/person.	ss than 150 gpd,
1.	Projected Compliance Per Capita Rate The applicant can demonstrate that a projected compliance per capita rate that is higher than average compliance per capita rate but less than 150 gpd should be used to determine allocate	
	a. The projected demands shown in PART II are established and documented by the applica	nt
	b. The total projected demand (PART II, SECTION F) minus the demand component met by rethe applicant's service area and minus the documented deductions from PART VII PROPO above, divided by the projected functional population equals a projected compliance per cathan 150 gpd.	OSED ALLOCATION
	(1) Total projected demand:gpd ①(PART II, SECTION F)	
	(2) Demand inside the service area met with reclaimed water: gpd (F TABLE A, Row 1, Col. 3)	PART II SECTION F,
	(3) Deductions* (sum of rows 5 through10, plus 13 and14 from PART VII, Table H, above):	gpd
	(4) Net demand [Line 1 – Line 2 – Line 3]: gpd	
	(5) Functional Population: persons ② (from PART III)	
	(6) Revised Projected Compliance Per Capita = (Line 4 divided by line 5) =* Note, imports are already included in the Demand quantity from PART II SECTION F.	gpd
2.	Recalculate Total Requested Quantities If the number in Line 1.b.(6) above is less than 150 gpd per person, substitute that number in Row 1 to recalculate Total Requested Withdrawal Quantities in Column C, Row 15. If the num greater than or equal to 150 gpd per person, substitute 150 gpd per person in Table H, Colum recalculate Total Requested Withdrawal Quantities in Column C, Row 15.	nber in Line 1.b.(6) is
	The recalculated Total Requested Withdrawal Quantities are: gpd	
 Ар	PART VIII. WELLFIELD OPERATION plicants for a Wholesale Public Supply Permit, skip to PART X, MAPS.	
SE	CTION A. SCHEDULE AND MONITORING	
	Withdrawal Point Flexibility: In the table on the next page, indicate which withdrawal points quantity flexibility on both an annual average daily and peak month daily basis. Withdrawal flexible the quantities per withdrawal point need to be greater than the quantity that would result from total permitted quantity by the number of withdrawal points. This quantity reflects the fact that	xibility is needed if simply dividing the

among different sets of withdrawal points. Indicate the total flexed withdrawal quantity. Copy this page for more withdrawal sites.

WELLFIELD TABLE

	District ID No.	Owner ID No.	Routine Pumpage Annual Average	Withdrawal Amount Flexed Up To Annual Average (gpd)	Routine Peak Month Pumpage	Withdrawal Amount Flexed Up To Peak Month (gpd)
	withdrawals	are dispers	sed to minimize impa	, if the meters are read a acts.		,
2.	Monitor Pro	but is not and the	Ilysis: Attach an ana limited to the thresh thresholds that trigg	alysis of existing and pro lolds that trigger a chang er a return to normal ope ent and the water resour	e in wellfield operation erations. Show how this	
	Monitor Protects accomplished protects exist Attached	ogram Ana s but is not ed and the f sting legal u	Ilysis: Attach an ana limited to the thresh thresholds that triggousers, the environme	olds that trigger a chang er a return to normal ope ent and the water resour	e in wellfield operation erations. Show how things.	n, how the change is s monitoring plan also
	Monitor Prothat includes accomplished protects exist accomplished protects accomplishe	ogram Ana s but is not ed and the is sting legal und that Manaç otential implication in the area ssments do and subdome ctivities are	llysis: Attach an analimited to the thresholds that triggusers, the environmental street, the environmental street, the environmental street, and monitoring a(s) in area(s) indicatone in support of this inant) monitoring, we required. A description of the street, and th	olds that trigger a chang er a return to normal ope	e in wellfield operation erations. Show how this ce. ronmental Management vegetation and hydrolowal-related environmental should include vegetation and associated triggotion for any anticipates	n, how the change is sometimes monitoring plan also the Plan (EMP) that ogy of wetlands, lakes ental impacts in the ve and species ers that would indicate and adverse impact and
	Monitor Prothat includes accomplished protects exist accomplished protects accomplishe	egram Ana s but is not ed and the is sting legal und that Manago otential implication in the area ssments do and subdome ctivities area	llysis: Attach an analimited to the thresholds that triggusers, the environmental street, the environmental street, the environmental street, and monitoring a(s) in area(s) indicatone in support of this inant) monitoring, we required. A description of the street, and th	enolds that trigger a changer a return to normal operation and the water resources of the proposal for an Environment and the water resources for such impacts to the sted as at risk for withdraws application. The plan strater levels, hydro-periodotion of each mitigation a	e in wellfield operation erations. Show how this ce. ronmental Management vegetation and hydrolowal-related environmental should include vegetation and associated triggotion for any anticipates	n, how the change is sometimes monitoring plan also the Plan (EMP) that ogy of wetlands, lakes ental impacts in the ve and species ers that would indicate and adverse impact and
3.	Monitor Protects that includes accomplished protects exist accomplished protects exist accomplished protects exist accomplished protects exist accomplete	egram Ana s but is not ed and the is sting legal und that Manaç otential implication in the area ssments do not subdome ctivities area ditional model	llysis: Attach an analimited to the thresholds that triggusers, the environment gement Plan: Attacpacts and monitoring a(s) in area(s) indicaone in support of this inant) monitoring, we required. A descriptionitoring shall be included.	er a return to normal oper a return to normal oper and the water resources of a proposal for an Environment of a proposal for an Environment of a proposal for a proposa	e in wellfield operation erations. Show how this ce. ronmental Managemer vegetation and hydrolowal-related environmental mould include vegetations and associated trigg ction for any anticipate lates and reporting free	n, how the change is something plan also the Plan (EMP) that ogy of wetlands, lakes ental impacts in the ve and species ers that would indicate ed adverse impact and quencies are required.
3.	Monitor Protects that includes accomplished protects exist accomplished protects accom	begram Analog but is not ed and the fitting legal under the area of the area o	liysis: Attach an analimited to the thresholds that triggousers, the environment of the pacts and monitoring a(s) in area(s) indicatione in support of this inant) monitoring, we required. A descriptionitoring shall be includes desalinated.	er a return to normal operate and the water resource that a proposal for an Envirg for such impacts to the ated as at risk for withdras application. The plans rater levels, hydro-periodotion of each mitigation a luded. Implementation on, provide the following	re in wellfield operation erations. Show how this ce. ronmental Management vegetation and hydrolowal-related environmental should include vegetations and associated triggication for any anticipated lates and reporting free information. If not, skip	nt Plan (EMP) that ogy of wetlands, lakes ental impacts in the ve and species ers that would indicate ed adverse impact and quencies are required.
3.	Monitor Protects that includes accomplished protects exist accomplished protects and streams impact asset (dominant and mitigation accomplished accomplished protects accompli	egram Ana s but is not ed and the is sting legal und that Manaç otential implication in the area ssments do not subdome ctivities are ditional model.	liysis: Attach an analimited to the thresholds that triggousers, the environment of the pacts and monitoring a(s) in area(s) indicatione in support of this inant) monitoring, we required. A descriptionitoring shall be includes desalinated.	er a return to normal oper a return to normal oper and the water resources of a proposal for an Environment of a proposal for an Environment of a proposal for a proposa	re in wellfield operation erations. Show how this ce. ronmental Management vegetation and hydrolowal-related environmental should include vegetations and associated triggication for any anticipated lates and reporting free information. If not, skip	nt Plan (EMP) that ogy of wetlands, lakes ental impacts in the ve and species ers that would indicate ed adverse impact and quencies are required.

(incorporated by reference in Rule 40D-2.101(1)(e), F.A.C.) Page **19** of **34** LEG-R.033.02 (5/14)

4. Daily average reject water discharge from treatment facility: _____ gpd 5. Treatment efficiency ratio (ratio of treated water to reject): _____:____:____

Amount of raw water that can be blended with the RO/EDR permeate: _____ gpd

PUE	BLIC SUPPLY SUPPLEMENTAL FORM PART VIII
8. 9. 10. 11. 12.	Highest level of total dissolved solids or chlorides that can be efficiently and economically treated:mg/l Chloride concentration in reject water: mg/l Chloride concentration in receiving water body (surface water body or aquifer): mg/l Finished water storage capacity: gallons Disposal method for the reject water: Florida Department of Environmental Protection Industrial Waste Permit No.: # Location of reject water disposal must be included on the facility map.
SEC	CTION C. AQUIFER STORAGE AND RECOVERY
	e water supply system includes aquifer storage and recovery (ASR), provide the following information. If not, skip
	PART IX. LEGAL/INSTITUTIONAL INFORMATION.
1.	Water source:
	Temporary above-ground, reservoir or impoundment storage volume: gallons
3.	Storage aquifer:
4.	Storage geologic formation:
	Total gallons to be stored in one year: gallons
	Aerial extent of freshwater plume (square miles)
	Annual average wellfield rate of injection: gpd
	Annual average wellfield recovery rate: gpd
	Peak month wellfield rate of injection: gpd Peak month wellfield recovery rate: gpd
	Average length of storage time: days/months (circle one)
	Percent recovery of injected water: %
	Will the source water be pretreated prior to injection? ☐ Yes ☐ No
	Submit a report that contains the following:
	a. Geological description of the formation in which the water is to be stored
	b. Description of the design and operation of the ASR wellfield
	c. Description and documentation of the cycle testing performed if this is a new or expanded operation
	d. Analyses performed within the past three years of:
	(1) Chemical analysis of the source water after pretreatment (if pretreated) for injection
	(2) The interaction between the injected water and the aquifer with respect to dissolution, precipitation or stability of the lithologic character of the aquifer
	(3) The interaction between the injected water and the aquifer water
	(4) Isotope or other tests performed to determine the direction and rate of flow in the aquifer
	(5) Chemical analysis of the recovered water over time
	(6) Chemical or mineral enrichments, especially that of arsenic
	(7) An analysis of water level changes or stabilities for the previous five years as measured in monitor wells with respect to injection and recovery times and rates, and periods of no recharge and no recovery
	(8) Analysis of water quality changes or stability in all water quality monitor sites as water is injected, rested and withdrawn
	(9) Analysis and raw data of the potentiometric surface fluctuations at piezometer or monitor well sites as water is injected, rested and withdrawn
	(10)Discussion of the rate of flow of the ground water in the injection site, what direction, and when (if) flow direction changes
15.	DEP Permit Numbers (list):
LEG	-R.033.02 (5/14) (incorporated by reference in Rule 40D-2.101(1)(e), F.A.C.) Page 20 of 34

PUBLIC SUPPLY SUPPLEM	MENTAL FORM	PARTS IX & X
	PART IX. LEGAL / INSTITUTIONAL INFORMATIO	N
SECTION A. PUBLIC SERVICE	CE COMMISSION	
If regulated by the Public provide a description and	Service Commission, indicate each Public Service Commission map of the certified service area. Utility name as appears on PSC Certificate:	
Description and ma	ap attached.	
Not applicable; this	s utility is not regulated by the PSC.	
	R SUPPLY IDENTIFIER tment of Environmental Protection Public Water Supply Identifier ch area for which there is a different potable water treatment plan	
PWSI No.	Area Name	
plant.	s is a wholesale public supply water use permit application, thus,	there is no water treatment
SECTION C. WELLFIELD PR		
•	ed by a wellfield protection ordinance?	
uses as a consequ	copy of the ordinance and discuss whether the proposed water unlence of the ordinance. In any content of the ordinance of the ordinance and explanation attached.	ise will affect existing land
Copy of Ordinal	ice and explanation attached.	
·	e applicant's legal rights or intent of acquisition for access to proporant owns the area around the wellfield.	posed withdrawal point sites.
	PART X. MAPS	
All maps must be labeled abbreviations or acronyms	with the date of creation, reference streets, north arrow, scale ars.	nd legend for any symbols,
SECTION A. SERVICE AREA	A	
A service area is the geog the ability and legal right to service areas that are und areas shall be counted as be delineated and designa	graphic area for which the applicant (including wholesale Public So distribute water directly to its customers during the term of the der common management of the applicant and water is routinely one. Definable areas within a service area which are served by ated by the permittee as non-served areas unless documentation ded that demonstrates that the area will be supplied by the appli	permit. Separate, discrete transferred between service domestic potable wells shall n such as a capital

LEG-R.033.02 (5/14)

To view the District's map of the applicant's service area, go to www.watermatters.org/data/demographics. It is available for viewing in ArcGIS Shapefile format or by using the District's viewer.

- □ Check here if there are no changes to the existing service area map as well as to any definable internal non-served areas, and if all reclaimed water lines and wastewater treatment plants are correctly delineated in the District's database. Skip to Section B. Facilities Map.
- ☐ Check here if there are changes to the existing service area map or to any internal non-served areas, and if any reclaimed water lines and wastewater treatment plant locations need to be edited.

1. Updates and New Service Areas

- **a.** <u>Include</u>: The applicant's public supply service area is comprised of the following, unless the applicant demonstrates that factors unique to its utility make one or more of these situations inapplicable to the determination of the service area:
 - (1) The current and projected geographic retail service area for which a public water supply utility intends to provide potable water.
 - (2) The current and projected geographical retail service areas of a public water supply utility that is not required to have a wholesale public supply permit but which purchases water wholesale from the applicant, regardless of whether or not the wholesale water recipient bills its customers.

b. Exclude:

- (1) Areas served by the applicant's wholesale customers if that wholesale customer has a Wholesale Public Supply Water Use Permit.
- (2) Areas that are serviced by independent utilities (such as may exist for trailer or RV parks) if they fall within your service area.
- 2. Delineation Requirements and Edits For the service area map, the following items are required to be delineated on a recent (less than two years old) aerial photograph. Digital copies of the District's aerial photography are preferred for use as a basemap and can be obtained at the District website.
 - **a. Service Area Boundary** Show the current service area boundary and differentiate the current area from areas projected to be added.
 - b. Internal Non-Served Areas Delineate the boundary around any internal definable areas (e.g., subdivisions) where residents obtain potable water via private domestic wells. If the applicant plans to incorporate these definable self-served areas in the utility service area within the term of the permit, submit documentation of the incorporation (such as a capital improvement plan). Check all the situations that apply to this utility:
 - incorporation (such as a capital improvement plan). Check all the situations that apply to this utility:
 The private domestic wells in the service area are scattered and cannot be circumscribed into definable areas.
 There are no private domestic wells in the service area.
 All of the private domestic wells that are in definable areas within the service area will be replaced by service from this utility within the term of the permit. Documentation attached.
 Some, but not all, of the private domestic wells that are in definable areas within the service area will be replaced by service from this utility within the term of the permit. Documentation attached.
 None of the private domestic wells that are in a definable area are planned to be included in this service
 - c. Reclaimed Water Distribution System Show all existing reclaimed water lines and all that are proposed to be constructed within the term of the permit. Create reference numbers to relate to a list of connections by customer in PART XII. WASTEWATER TREATMENT AND USE. These may be presented on a separate map that is the same scale as the service area boundary map if there are reference points provided.
 - **d. Treated Wastewater Disposal Sites** Label the sites with a reference number to relate to the list in **PART XII, SECTION E.** These may be presented on a separate map that is the same scale as the service area boundary map if there are reference points provided.
 - **e.** Legend Provide a legend to define any symbols, abbreviations or acronyms used.

area and have been delineated and identified on the map as non-served.

- 3. **Basemap** –There are two methods the applicant can use to submit a service area map relative to the existing service area map:
 - **a.** ArcGIS Shapefile Format (Preferred Method) The following steps should be followed if the applicant is an ArcGIS user and the service area map from the District's database will serve as the basemap:

- (1) Download the Service Area Layer in ArcGIS Shapefile format to upload to the applicant's computer, then navigate the applicant's computer to their water use permit from the District website, www.watermatters.org/data/demographics screen.
- (2) Add your service area to the basemap or update the downloaded Shapefile to reflect any changed service area boundary.
- (3) Print out the new map and submit with this application.
- b. Non-GIS Method If the applicant does not have ArcGIS Shapefile capabilities, a digital copy of the District's aerial photography can be obtained from www.watermatters.org/data/demographics for use as a basemap. Print it out, and annotate it with the required information and submit with this application.
- c. Other aerial photographic maps If other aerial photographic maps are used, they must contain the following minimum information: county lines, major roads/streets (labeled with names), map scale, legend. flight date created and provenance (agency or company that flew or commissioned the aerial photographs). The aerial map shall be less than two years old and be of a minimum scale of 1" = 2,000'.
- 4. Areas of Overlap All new service areas or additions to existing service areas must be delineated relative to service areas depicted in the District's electronic public supply service area boundary map maintained in the District's geographic information system (GIS). If areas of overlap are identified, the applicant must submit supporting documentation to verify that the delineation is correct. Service areas overlap documentation must include service area expansion agreements approved by the affected utilities and may include existing distribution line maps, agreements with developer(s) to provide service to specific areas, inter-local service agreements. regulatory agency approved service areas, and approved Chapter 180, Florida Statutes, service area ordinances.

SECTION B. FACILITIES MAP

- 1. Provide the locations of the following items on a recent aerial photographic map (minimum scale = 1" = 2,000') or on a copy of the District's aerial photograph:
 - a. Owned and/or legally controlled areas Delineate all areas owned or legally controlled (including ingress and egress rights) by the applicant with respect to this application. These areas will be included in the WUP control boundary for this permit.
 - **b.** Surface Storage Reservoirs Show the location of any existing or proposed surface storage reservoirs. If proposed, annotate the location with the appropriate environmental resource permit number.
- 2. Provide the following information on a hard-copy map (The District will NOT provide this information to the public for public safety and national security reasons):
 - a. Existing and proposed raw water treatment facilities
 - b. Existing and proposed major water transmission mains including existing, planned and potential intersystem connections

	PART XI. BILLING AND METER READING
1.	Is this a public supply utility that serves at least 15 service connections used by year-round residents or regularly serves at least 25 year-round residents (e.g., a subdivision, a mobile home park, a city or county system, etc.)?
	☐ Yes Complete this part.
	□ No Skip to PART XII, WASTEWATER TREATMENT AND USE.
2.	Are customers billed, or will customers be billed for their water use according to how much they used?
	☐ Yes Continue to Question 3.
	☐ No Include an attachment to explain how water conservation is encouraged and continue to Question 3.
	☐ Attached
3.	If this application is for an existing WUP, continue this section. If this application is for a new WUP, skip to PART XII. WASTEWATER TREATMENT AND USE.
	a. Provide a document showing the water rate structure for both potable and non-potable water.
	☐ Attached How often is this document provided to customers?
	b. Provide a blank bill that shows billing units in gallons (or an insert that provides customers with instructions to convert the billing units to gallons), the billing period and the customer water use during the billing period.
	☐ Attached How often are these provided to customers?
l F(6-R.033.02 (5/14) (incorporated by reference in Rule 40D-2.101(1)(e), F.A.C.) Page 23 of 34

	c. Attach copies of all informational pamphlets or documents the to retail (not wholesale) customers. Explain any fixed and verblock size and pricing, historic customer class use (single-fathomes, etc.), and any seasonal rates with their applicable meaning.	rariable charge rates, mini amily dwelling, multiple-fai	mum quantity charges,
	☐ Attached How often are these documents provided to	customers?	
	PART XII. WASTEWATER TREA	ATMENT AND USE	
	A wastewater treatment facility (WWTF) is neither owned nor ope WATER CONSERVATION .	erated by the applicant. S	Skip to PART XIII.
SE	CTION A. TREATMENT FACILITIES		
Fac	mplete the chart below for all WWTF's operated by the applicant cility Regulation Identification Number (WAFR ID) number, provide atment levels		
	AWT (Advanced Wastewater Treatment) which equals Grizzle-fmg/l-BOD (biological oxygen demand), 5-TSS (total suspended Phosphorus. Note: Also sometimes referred to as Tertiary treat	solids), 3 mg/l-Total Nitro	gen, and 1 mg/l-Total
2.	HI stands for High-level disinfection, as described in Rule 62-60 requirements for public access reuse (includes filtration and disi Advanced-Secondary treatment. It is sufficient for public access	nfection). Note: Also som	
3.	BA stands for Ba sic-level disinfection, as described in Rule 62-6 requirements for non-public access reuse (such as RIBs). It is r		
	Facility Name	WAFR ID No. or FDEP WWTF ID No.	Treatment Level
	☐ Not applicable; there are no wastewater treatment facilities o	perated by this applicant.	
SE	CTION B. RECLAIMED WATER QUANTITIES		
	mplete the table below with information regarding the applicant's stewater treatment facility is used, total the values for the facilities		If more than one

ELEMENT	Current	Projected
Total wastewater flow – Sewage flow to the treatment plant.	gpd	gpd
Reclaimed water available – Amount that can be beneficially reused.	gpd	gpd
Reclaimed water utilization – Amount actually used by customers.	gpd	gpd
Beneficially used – Amount used by customers to offset the use of the natural resource to recharge or replenish the resource, or mitigate environmental impacts.	gpd	gpd
Reclaimed water disposal – Amount generated that is not beneficially reused plus whatever amount of effluent that is not treated to reuse standards.	gpd	gpd
Potable quality water offset – Total quantity of water that is not used due to supply of service area customers with reclaimed water.	gpd	gpd
Reclaimed water offset efficiency – Annual average amount offset divided by the annual average amount of reclaimed water used.	%	%

PARTS XI & XII

SECTION C. RECLAIMED WATER CUSTOMERS

1	Non-Wholesale -	Delivery	l ine Diameter I	l acc Than / Incha	•

Provide reclaimed water delivery data in the table below for each customer class for the previous calendar year.

Customer Class	Number of Accounts Served	Total Annual Average Delivered (gpd)
Single Family Residential		
Multi-Family Residential		
Mining/Dewatering		
Industrial/Commercial		
Agriculture		
Recreation/Aesthetic		

2. Wholesale — Delivery Line Diameter Greater Than or Equal to 4 Inches

Complete the information below for wholesale reclaimed water customers where the delivery line diameter is greater than or equal to 4 inches. Because a customer may have a name different from the name on the Water Use Permit, provide the WUP number, if any; put N/A if not. Use service area or facility map reference numbers to show delivery locations. Indicate the owner of the meter by checking the appropriate box. If not metered, leave blank. Show the annual average quantity supplied during the previous calendar year.

Customer Name Contact Person/Telephone	WUP No.	Line Diameter (in.)	Meter Owner	No. of Meters	Annual Average Quantity (gpd)	Loc. (map ref.)
			☐ Utility☐ Customer			
			☐ Utility☐ Customer			
			☐ Utility☐ Customer			
			☐ Utility☐ Customer			

SECTION D. AQUIFER RECHARGE

Complete the information below for every location where treated effluent is used for aquifer recharge. Provide the name of the person in charge of each project and a contact telephone number. If there are more than one recharge locations for one project, indicate all map references that apply.

□ Not Applicable. The applicant does not perform aquifer recharge. Skip to **Section E**.

Contact Name and Telephone Number	Line Diameter (in.)	Meter Owner	No. of Meters	Annual Average Quantity (gpd)	Map Reference
		☐ Utility☐ Customer			
		☐ Utility☐ Customer			
		☐ Utility☐ Customer			

Attach a	description	of the f	acility and	its operation
----------	-------------	----------	-------------	---------------

Attached	l.
----------	----

SECTION E. TREATED EFFLUENT DISPOSAL

Complete the table on the next page with information for every location where treated effluent is disposed. Provide the name of the person in charge of each project and a contact telephone number. If there are more than one recharge locations for one project, indicate all map references that apply. If the disposal is to a water body, attach a document that shows the DEP permit number and the name of the surface water body.

- □ Not applicable. The applicant does not dispose of treated effluent. Skip to **PART XIII. WATER CONSERVATION**. Types of disposal sites
 - Spray Field (SF)
 - Rapid Infiltration Basin (RIB)
 - Injection Well (IW)

•	Surface Water	Body	(provide	name)
---	---------------	------	----------	-------

•	Other:	indicate any other	type(s) that may apply.	

Contact Name and Telephone Number	Disposal Site Type (Name if a Surface Water Body	DEP Permit No. (if any)	Total Annual Average Quantities Disposed	Map Reference

□ DEP documentation for water body disposal is attached.

XIII. WATER CONSERVATION

All applicants for public supply water use permits must submit a water conservation plan with this application. See the Water Use Permit Applicant's Handbook Part B for Public Supply Water Use Conservation Plan Requirements.



PUBLIC SUPPLY SUPPLEMENTAL FORM **ATTACHMENT A**

Quantities referred to in this attachment are standard annual average daily quantities. These are total gallons in a calendar year divided by 365 days. All quantities should be shown in gallons per day (gpd) for uses such as irrigation of common areas, parks, and residential lawn and landscape irrigation.

SIGNIFICANT USE DEDUCTIONS FOR PUBLIC SUPPLY APPLICANTS

Permittees may deduct non-residential significant uses from their gross water use if documentation and appropriate water conservation plans are submitted. See the Water Use Permit Applicant's Handbook "Significant Use" sections for expanded explanations of what can be deducted. Documentation of qualifications and water conservation plans are required for any significant uses deducted.

Indicate for each Type of Significant Use whether it is an amount that is currently supplied at the time of application or is projected to be supplied by the end of the permit term. Projections must be substantiated with documents from the anticipated customer that they are moving into the area or are increasing their use and an estimate from the customer how much annual average quantities they will require. If a current significant use customer intends to use more water in the future, list both their current use as well as their anticipated use. If a current significant use customer will continue into the future with no changes, indicate the same quantity for both current and projected. New significant use customers will have zero in the current columns and terminating significant use customers will have zero in the projected use columns.

Exclusions – Water supplied for the following may not be included in significant use deductions:

- Residential, population-related water quantities and
- Golf course irrigation and multi-family residential use, even if classified by the utility as commercial customers

SIGNIFICANT USE TYPES

There are five types of Significant Uses that can be deducted for the purpose of calculating an Adjusted Gross Per Capita Rate. They are referred to as **TYPES A through E** on the following pages. More than one type may be taken; however, certain combinations may not be taken. See each section for exclusions.

TYPE A. SINGLE SIGNIFICANT USE

This Type applies to utilities that supply or that have a contract to supply greater than or equal to 25,000 gpd of water on a calendar year annual average basis to single industrial/commercial facilities or other non-residential, nongovernmental facilities, or to single industrial/commercial facilities or other non-residential, non-governmental facilities whose water use comprises more than 5% of the utility calendar year annual average use. Either the 25,000-gpd criteria or the 5% criteria may be chosen, but not both. The facility may consist of one or more buildings under common ownership, maintenance and management control at a single site or campus. However, buildings that are not related under common ownership, maintenance and management control cannot be combined to meet a single significant use threshold.

This deduction cannot be taken with Type B. DISTRICT-WIDE PERCENT INDUSTRIAL/COMMERCIAL USE deductions or if net

	the second of th
com	muter population is included in the calculation of the projected functional population.
	This type of significant use deduction is not being taken. Skip to TYPE B.
1.	If this type of significant use is taken, indicate the criteria used.

□ 25,000-gpd criteria ■ 5% criteria

Complete the table(s) on the next page

LEG-R.033.02 (5/14)

ATTACHMENT A - SIGNIFICANT USE DEDUCTIONS

Page 28 of 34

2. If this deduction is used, complete the information below. Meter readings or copies of bills that show the gallons supplied are required for current use. Statements from customers intending to increase their water needs in the future is required for projected demand if greater than current demand. Make copies of this page to add more qualifying significant uses.

Custome	Customer Information		Average Provided	
		Current	Projected	
Customer Name:				
Contact:	Telephone:			
Address:	E-mail:	(gpd)	(gpd)	
City, State, ZIP	1			
Customer Name:				
Contact:	Telephone:			
Address	E-mail:	(gpd)	(gpd)	
City, State, ZIP				
Customer Name:				
Contact:	Telephone:			
Address:	E-mail:	(gpd)	(gpd)	
City, State, ZIP				
Customer Name:				
Contact:	Telephone:			
Address:	E-mail:	(gpd)	(gpd)	
City, State, ZIP		(SI)	(3)7	
	T 1 1 4 1 4	/ D		
	Total Annual Average			
•	d water audit for each deduction for a si each industrial/commercial use categor % criteria.	•	dustrial,	
	at the significant use customer intends and the Annual Average quantities (gpo			
B. DISTRICT-WIDE PERCENT INDUSTRIAL	COMMERCIAL USE			
ies having a large number of smaller ind above, may combine these smaller use , three-year average percent industrial/c lential housing is not considered industri District at www.watermatters.org/data/de	s and compare its percentage industria ommercial use of public supply utilities. al/commercial use. The most recently c	l/commercial use with Water use of multi-fa	h the Distric amily	
deduction cannot be taken with any othed	er type of significant use deduction or if	net commuter popula	ation is	

(incorporated by reference in Rule 40D-2.101(1)(e), F.A.C.)

ATTACHMENT A - SIGNIFICANT USE DEDUCTIONS

- 1. If TYPE B significant use is being deducted, in the table below, group the industrial/commercial uses by meter size* for the previous calendar year. Documentation of the actual quantities supplied to each industrial/commercial customer meter category included must be attached.
 - * Generally, this is an indication of the diameter of the pipe with which a meter is associated. For example, common usage refers to a meter as a 2-inch meter when it is on a 2-inch diameter pipe.

Industrial/Comme Average Quanti (gpd	ities Provided	Meter Category (Diameter)	Number of Connections	
Current	Projected	(Diameter)	Current	Projected
		⁵⁄ ₈ -inch		
		5/8 X 3/4-inch		
		³ ⁄ ₄ -inch		
		1-inch		
		1½ -inch		
		2-inch		
		3-inch		
		4-inch		
		6-inch		
		8-inch		
		10-inch		
		12-inch		
		Other:		
		← Total Use for Industria	al/Commercial	
		Gross Use (Total Requestrian B, I H, Table H, Column B, I Column B Column B		
%	%	← Percent Use for Indus	strial/Commercial ÷ Gross Use <i>(row</i>	<i>(b)</i> x 100)
%	%		Average % Use f	,)
%	%		ndustrial/Comme rage	rcial Use and the
Deductio Current	n Total Projected	•		-
		If the % value in Row e is positive, then the deduction is e Row b times Row e. If the % value in Row e is negative, deduction is not eligible		

☐ Attach documentation of actual quantities supplied to each Industrial /Commercial customer per Meter Category.

☐ Attach documentation indicating that the additional Industrial/ Commercial connections are moving into the service area, and the associated Annual Average quantities are needed.

ATTACHMENT A - SIGNIFICANT USE DEDUCTIONS

Type C. Combined Regional Government and Higher Education Facilities

This type applies to current and projected water quantities provided to regional, state and federal government administrative and maintenance facilities and to public or private colleges/universities located within the service area that also serve persons who live outside of the service area. Water use for K–12 (kindergarten-through-12th grade) schools that do not serve any of the service area population may be deducted by the applicant. Facilities may consist of one or more buildings under common ownership, maintenance and management. Both governmental and educational facilities may be deducted. See the Water Use Permit Information Manual, Part B, Chapter 3, "Significant Use" for a comprehensive description of what is eligible for this type of significant use.

This deduction cannot be taken if **Type B**, **District-wide Percent Industrial/Commercial Use** deductions have been taken or if net commuter population is included in your calculation of functional population.

This type of significant use deduction is not being taken. Skip to **TYPE D.**

If this type of significant use is being taken, provide the information below for the previous calendar year. *Make copies to add more significant uses*.

Customer Informa	tion	Annual A Quantity F	
		Current	Projected
Customer Name:			
Contact:	Telephone:		
Address:	E-mail:	(gpd)	(gpd)
City, State, ZIP	1		
Customer Name:			
Contact:	Telephone:		
Address:	E-mail:	(gpd)	(gpd)
City, State, ZIP			
Customer Name:			
Contact:	Telephone:		
Address:	E-mail:	(gpd)	(gpd)
City, State, ZIP			
Total	Quantities from the table above.⇒	gpd	gpo
Percent of the permanent county population n			
	cent U.S. Census for your county.	%	%
(Use same time census data for pro	n (Total Quantities x Percent): ⇒		
	·	gpd gpd	gpo on facilities
Attach a water conservation plan specific to group type.	b each regional government and or qu	alliying educati	on facilities
Attach documentation of actual quantities s	supplied to each customer.		
Attach documentation indicating that the ac moving into the service area, and the association			acilities are
.EG-R.033.02 (5/14) (incorporated by reference in Rule 4	.0D-2.101(1)(e), F.A.C.) Page 3	30 of 34	

TYPE D. INDIVIDUAL REGIONAL HEALTH FACILITIES

This significant use type applies to water quantities provided to regional hospitals or specialty clinics located within the service area that also serve persons who live outside of the service area. A regional health facility may consist of one or more buildings at a single site or campus under common ownership, maintenance and management.

This deduction cannot be taken with "District-wide Percent Industrial/Commercial Use" deductions or if net commuter population is included in the calculation of functional population.

- This type of significant use deduction is not being taken. Skip to **TYPE E.**
- 1. If this type of significant use is being taken, list the facility and provide the full name, mailing address, telephone number and contact person name. For each facility included, show the quantity provided for each major type of water use within the facility (potable [including cafeterias], cleaning, irrigation, etc.) for the previous calendar year as well as projected. If "other" is used, classify it in the space provided. *Make copies to add other significant uses*.

Customer Information	Use Type (choose all that	Annual Average Quantity Provided (gpd)		
		apply)	Current	Projected
Facility Manage		☐ Potable		
Facility Name:		☐ Irrigation		
Contact:		☐ Cleaning		
		□ Other		
Address:				
		Total		
City, State, ZIP		E-mail:		
		Telephone:		
A. Annual Admissions with ZIP Code Outside of Service Ar	B. Total Annual Admissions:			
C. Fraction of Annual Admissions outside of Service Area:	Multiply Total Cu	Deductions: □ Projected action Outside of		

Customer Information	Use Type (choose all that	Annual Average Quantity Provided (gpd)		
	apply)	Current	Projected	
Facility Name:		□ Potable		
Contact:		☐ Irrigation		
Address:		☐ Cleaning		
		☐ Other		
		Total		
City, State, ZIP		E-mail:		
		Telephone:		
A. Annual Admissions with ZIP Code Outside of Service Ar	ea:	B. Total Annual A	dmissions:	
Δrea: Multiply Total C		I Deductions: □ Deductions: □ Deductions: □ Deduction Projected □ Deduction Projected □ Deduction Projected □ Deductions: □ Deductio		

Page 31 of 34

PUBLIC	SUPPLY	SUPPL	.EMENTAL	FORM
--------	--------	-------	----------	------

ATTACHMENT A - SIGNIFICANT USE DEDUCTIONS

	Customer Information		Use Type (choose all that	Annual Average Quantity Provided (gpd)	
			apply)	Current	Projected
Fa	acility Name:		□ Potable		
С	ontact:		☐ Irrigation		
A	Address:		☐ Cleaning		
			☐ Other		
			Total		
С	ity, State, ZIP		E-mail:		
A	. Annual Admissions with ZIP Code Outside of Service A	rea:	B. Total Annual A	nual Admissions:	
С	. Fraction of Annual Admissions outside of Service Area:	Multiply Total Co	I Deductions: □ □ □ □ □ □ □ □ □ □ □ □ □		
	(2as con 7. by con 2. f.o. asserby).	Service Area			
	Sum total current and projected annual	average allow	ed deductions:	Command	Duningtod
	Attach a water conservation plan and water audit for e			Current	Projected
	Attach documentation indicated that the additional requestion he associated Annual Average quantities are needed	•	acilities are movin	g into the servi	ce area, and
ГҮРЕ	E. INDUSTRIAL/COMMERCIAL WHERE WATER IS THE P	'RIMARY INGRE	DIENT OF THE FINAL	PRODUCT	
)ne	hundred percent of the water that is to be provided to	o the custome	r that is contained	in a final produ	ıct (e a

1

One hundred percent of the water that is to be provided to the customer that is contained in a final pr brewery products, soft drinks, reconstituted juice, bottled water, etc.) may be deducted. Documentation required for existing permittees are meter readings for water quantities provided to the facility or copies of bills that quantify gallons provided for the previous year, a statement from the customer that quantifies the amount of water in the product and how many gallons of the product was produced the previous year. A statement from the customer that they intend to move into the area or intend to increase production in the future is required for projected quantities if greater than current quantities.

This deduction cannot be taken with Type B, DISTRICT-WIDE PERCENT INDUSTRIAL/COMMERCIAL USE.

☐ This type of significant use deduction is not being taken.

Customer Information			Facility Type	Annual Average Quantity Provided (gpd)	
				Current	Projected
Facility Name: Contact:			☐ Bottled Water ☐ Juices ☐ Soft Drinks		
Address: Telephone: E-mail:			□ Brewery □ Winery □ Distillery □ Ice □ Other (list below)		
				Annual Average Quantity Product Produced (gpd)	
·	·			Current	Projected
Percent of water inclu					
Allowed Deductions: Multiply % water in final	ious calendar year				

ATTACHMENT A - SIGNIFICANT USE DEDUCTIONS

Customer Information		Facility Type	Annual Average Quantity Provided (gpd)				
			Current	Projected			
Facility Name: Contact:		☐ Bottled Water ☐ Juices ☐ Soft Drinks					
Address:		☐ Brewery ☐ Winery ☐ Distillery ☐ Ice ☐ Other (list below)	Annual Ava	rage Quantity			
Telephone:	E-mail:	— (list below)	Product Pro	duced (gpd)			
			Current	Projected			
Percent of water included in the	final product =%						
Allowed Deductions: Multiply % water in final product x g	pd of Product produced for the prev	ious calendar year					
Customer	Information	Facility Type	Annual Average Quantity Provided (gpd)				
		5.5 W 1111	Current	Projected			
Facility Name:		☐ Bottled Water ☐ Juices					
Contact:		☐ Soft Drinks					
Address:		☐ Brewery					
		☐ Winery					
		☐ Distillery					
Telephone:	E-mail:	☐ Ice☐ Other (list below)	Annual Average Quantity Product Produced (gpd)				
			Current	Projected			
Percent of water included in the	final product =%						
Allowed Deductions: ⇒ Multiply % water in final product x g	pd of Product produced for the prev	ious calendar year					
	n plan and water audit for each factual quantities supplied to each	-					
 Attach documentation of actual quantities supplied to each customer. Attach documents from customer(s) quantifying the amount of water contained in the product and annual average gallons per day product produced. 							
	eating that the additional facilities ted needs, and the associated A						
rand Total Significant Use opes A, B, C, D, and E.	DEDUCTIONS:	gpd (sum	the allowed de	ductions from			
G-R 033 02 (5/14) (incorporated	by reference in Pule 40D 2.104/4VeV. F	A.C.) Bogo	33 of 34				