

An Equal Opportunity Employer



Southwest Florida Water Management District

2379 Broad Street, Brooksville, Florida 34604-6899 (352) 796-7211 or 1-800-423-1476 (FL only) TDD only 1-800-231-6103 (FL only) WaterMatters.org

The Southwest Florida Water Management District (District) does not discriminate on the basis of disability. This nondiscrimination policy involves every aspect of the District's functions, including access to and participation in the District's programs and activities. Anyone requiring reasonable accommodation as provided for in the Americans with Disabilities Act should contact the District's Human Resources Bureau Chief, 2379 Broad St., Brooksville, FL 34604-6899; telephone (352) 796-7211 or 1-800-423-1476 (FL only), ext. 4702; TDD 1-800-231-6103 (FL only); or email ADACoordinator@WaterMatters.org.

Susanna Martinez Tarokh Public Information Officer (813) 644-3501 Office and Cell

The Southwest Florida Water Management District urges year-round water conservation. Water levels may rise and fall, but our water resources remain limited. The District encourages efficient, non-wasteful uses of water to sustain our high quality of life. For more information about ways to conserve water, contact the District at 1-800-423-1476 or visit the District's website at WaterMatters.org

August Water Resource Monthly Update

Aquifer* Levels (percentile)

Regions **	Aug. 31 percentile***	Previous week percentile	Same date last year percentile	Normal range percentile****
North	66	51	85	25-75
Central	51	42	68	25-75
South	42	40	66	25-75

^{*} Aquifers are underground layers of rock and sand that hold water. In southwest Florida, more than 80 percent of the water supply comes from aquifers.

*** The **percentile** compares current aquifer levels to historical levels during the same time of year on a scale of 0-100. For example, the if groundwater level is at the 50th percentile, it means that half of the historical levels for this time of year were higher and half were lower than the current level.

**** Any level that falls between the 25th and the 75th percentile is considered **normal**. Less than the 25th would be considered below normal and above the 75th percentile is above normal.

^{**} North (Citrus, Hernando, Lake, Levy, Marion and Sumter counties)
Central (Hillsborough, Pasco, Pinellas and Polk counties)
South (Charlotte, DeSoto, Hardee, Highlands, Manatee and Sarasota counties)

Southwest Florida Water Management District Water Resource Monthly Update Page 2

2022 Rainfall (in inches) *

	Aug. 31	August		Year to date	January to Aug.	
	Actual **	Historic Avg.***	Normal Range***	Actual**	Historic Avg.***	Normal Range***
North	8.24	8.06	6.55 – 9.62	39.34	39.85	35.28 – 44.68
Central	7.70	8.45	6.69 – 9.83	35.39	38.38	33.66 – 42.52
South	7.87	8.11	6.44 – 9.32	32.27	38.15	34.52 – 41.41

Historic Rainfall (January - December in inches)

	2021	2020	2019	2018	2017	2016	2015	2014	Jan. t	hrough Dec.
	Actual	Historic Avg.***	Normal Range***							
North	60.87	47.77	57.02	66.66	52.41	48.49	52.04	61.12	53.45	48.62 – 58.07
Central	50.15	52.10	56.03	59.62	51.37	55.38	57.27	56.16	52.36	46.77 – 56.55
South	45.70	52.23	48.56	56.53	57.43	56.79	54.24	52.57	52.44	47.04 – 57.17

^{*} The rainfall values for the current month and year are considered provisional and subject to revision. The other annual figures are final.

^{**} Actual rainfall for the time frame referenced at the top of the column.

^{***} Historical average rainfall for the time frame referenced at the top of the column. The District's historical rainfall records date back to 1914. The "normal range" is defined as rainfall totals that fall on or between the 25th to 75th percentile values derived from the historical data for each month.

Southwest Florida Water Management District Water Resource Monthly Update Page 3

Lake Levels (in feet, relative to MLM) *

Regions **	August levels	Previous month	Same date last year
Northern	-0.41	-0.27	0.43
Tampa Bay	0.69	0.61	1.42
Polk Uplands	0.97	1.07	1.80
Lake Wales Ridge	-1.44	-1.28	0.64

^{*} Each month the District measures water levels in 76 lakes. The lake levels are compared to the lakes' adopted minimum low management (MLM) levels. The MLM level is how low each lake has historically dropped at the end of the dry season each year.

Streamflows *

	August percentile **	Previous month percentile	Same date last year percentile	Normal range percentile ***
Withlacoochee River near Holder	20	29	92	25-75
Withlacoochee River near Trilby	17	41	53	25-75
Hillsborough River near Zephyrhills	12	21	66	25-75
Peace River at Arcadia	12	27	34	25-75
Peace River at Bartow	28	23	32	25-75

^{*} **Streamflow**, also known as discharge, is the volume of water passing a location in a certain amount of time, usually measured as cubic feet per second.

^{**} Northern (Citrus, Hernando and Sumter counties)

Tampa Bay (Hillsborough and Pasco counties)

Polk Uplands (Northern Polk County)

Lake Wales Ridge (Portions of Polk and Highlands counties)

^{**} The **percentile** compares current flows to historical flows during the same time of year on a scale of 0-100. For example, if the river is shown at the 50th percentile, it means that half of the historical flows for this time of year were higher and half were lower than the current flow.

^{***} Any flow that falls between the 25th and the 75th percentile is considered **normal**. Less than the 25th would be considered below normal and above the 75th above normal.