

Southwest Florida Water Management District Under Management District Water Management District

An Equal Opportunity Employer The Southwest Florida Water Management District (District) does not discriminate on the basis of disability. This nondiscrimination policy involves every aspect of the District's functions, including access to and participation in the District's programs and activities. Anyone requiring reasonable accommodation as provided for in the Americans with Disabilities Act should contact the District's Human Resources Bureau Chief, 2379 Broad St., Brooksville, FL 34604-6899; telephone (352) 796-7211 or 1-800-423-1476 (FL only), ext. 4702; TDD 1-800-231-6103 (FL only); or email ADACoordinator@WaterMatters.org.

Susanna Martinez Tarokh 1-800-423-1476, ext. 2008 or Cell Phone: (813) 781-9817

The Southwest Florida Water Management District urges year-round water conservation. Water levels may rise and fall, but our water resources remain limited. The District encourages efficient, non-wasteful uses of water to sustain our high quality of life. For more information about ways to conserve water, contact the District at 1-800-423-1476 or visit the District's website at <u>WaterMatters.org</u>

May Water Resource Monthly Update

Aquifer\* Levels (percentile)

Regions **	May 31 percentile***	Previous week percentile	Same date last year percentile	Normal range percentile****
North	52	53	71	25-75
Central	68	64	71	25-75
South	82	75	62	25-75

\* Aquifers are underground layers of rock and sand that hold water. In southwest Florida, more than 80 percent of the water supply comes from aquifers.

\*\* North (Citrus, Hernando, Lake, Levy, Marion and Sumter counties)
Central (Hillsborough, Pasco, Pinellas and Polk counties)
South (Charlotte, DeSoto, Hardee, Highlands, Manatee and Sarasota counties)

\*\*\* The **percentile** compares current aquifer levels to historical levels during the same time of year on a scale of 0-100. For example, the if groundwater level is at the 50<sup>th</sup> percentile, it means that half of the historical levels for this time of year were higher and half were lower than the current level.

\*\*\*\* Any level that falls between the 25<sup>th</sup> and the 75<sup>th</sup> percentile is considered **normal**. Less than the 25<sup>th</sup> would be considered below normal and above the 75<sup>th</sup> percentile is above normal.

Southwest Florida Water Management District Water Resource Monthly Update Page 2

	May 31	Мау		Year to date	January-May	
	Actual **	Historic Avg.***	Normal Range***	Actual**	Historic Avg.***	Normal Range***
North	2.34	3.64	1.73 – 4.49	10.60	16.13	11.76 – 19.69
Central	3.17	3.56	1.97 – 4.92	10.78	14.80	9.93 – 18.61
South	4.18	3.67	2.05 - 4.67	12.52	13.57	10.02 – 17.57

## 2020 Rainfall (in inches) \*

Historic Rainfall (January - December in inches)

	0040	0040	0047	0040	0045		0040	0040	0044		
	2019	2018	2017	2016	2015	2014	2013	2012	2011	Jan. t	hrough Dec.
	Actual	Historic Avg.***	Normal Range***								
North	57.02	66.66	52.41	48.49	52.04	61.12	50.54	55.81	48.35	53.45	48.62 - 58.07
Central	56.03	59.62	51.37	55.38	57.27	56.16	47.92	50.30	53.44	52.36	46.77 – 56.55
South	48.56	56.53	57.43	56.79	54.24	52.57	52.64	47.36	46.40	52.44	47.04 – 57.17

\* The rainfall values for the current month and year are considered provisional and subject to revision. The other annual figures are final.

\*\* Actual rainfall for the time frame referenced at the top of the column.

\*\*\* Historical average rainfall for the time frame referenced at the top of the column. The District's historical rainfall records date back to 1914. The "normal range" is defined as rainfall totals that fall on or between the 25th to 75th percentile values derived from the historical data for each month.

Southwest Florida Water Management District Water Resource Monthly Update Page 3

Regions **	May levels	Previous month	Same date last year
Northern	-1.07	-0.55	-0.49
Tampa Bay	0.15	0.52	0.53
Polk Uplands	0.98	1.29	1.25
Lake Wales Ridge	-1.36	-1.05	-0.91

Lake Levels (in feet, relative to MLM) \*

\* Each month the District measures water levels in 76 lakes. The lake levels are compared to the lakes' adopted minimum low management (MLM) levels. The MLM level is how low each lake has historically dropped at the end of the dry season each year.

\*\* Northern (Citrus, Hernando and Sumter counties)
Tampa Bay (Hillsborough and Pasco counties)
Polk Uplands (Northern Polk County)
Lake Wales Ridge (Portions of Polk and Highlands counties)

## Streamflows \*

	May percentile **	Previous month percentile	Same date last year percentile	Normal range percentile ***
Withlacoochee River near Holder	30	27	50	25-75
Withlacoochee River near Trilby	27	25	27	25-75
Hillsborough River near Zephyrhills	30	29	35	25-75
Peace River at Arcadia	37	19	48	25-75
Peace River at Bartow	59	48	59	25-75

\* **Streamflow**, also known as discharge, is the volume of water passing a location in a certain amount of time, usually measured as cubic feet per second.

\*\* The **percentile** compares current flows to historical flows during the same time of year on a scale of 0-100. For example, if the river is shown at the 50<sup>th</sup> percentile, it means that half of the historical flows for this time of year were higher and half were lower than the current flow.

\*\*\* Any flow that falls between the 25<sup>th</sup> and the 75<sup>th</sup> percentile is considered **normal**. Less than the 25<sup>th</sup> would be considered below normal and above the 75<sup>th</sup> above normal.