

Southwest Florida Water Management District Water Management District

An Equal Opportunity Employer The Southwest Florida Water Management District (District) does not discriminate on the basis of disability. This nondiscrimination policy involves every aspect of the District's functions, including access to and participation in the District's programs and activities. Anyone requiring reasonable accommodation as provided for in the Americans with Disabilities Act should contact the District's Human Resources Bureau Chief, 2379 Broad St., Brooksville, FL 34604-6899; telephone (352) 796-7211 or 1-800-423-1476 (FL only), ext. 4702; TDD 1-800-231-6103 (FL only); or email ADACoordinator@WaterMatters.org.

Susanna Martinez Tarokh 1-800-423-1476, ext. 2008 or Cell Phone: (813) 781-9817

Aug. 10, 2018

The Southwest Florida Water Management District urges year-round water conservation. Water levels may rise and fall, but our water resources remain limited. The District encourages efficient, non-wasteful uses of water to sustain our high quality of life. For more information about ways to conserve water, contact the District at 1-800-423-1476 or visit the District's website at <u>WaterMatters.org</u>.

## Water Resource Weekly Update

Aquifer\* Levels (percentile)

Regions **	Aug. 8 percentile***	Previous week percentile	Same date last year percentile	Normal range percentile****
North	87	88	34	25 – 75
Central	85	89	66	25 – 75
South	77	76	61	25 – 75

\* Aquifers are underground layers of rock and sand that hold water. In southwest Florida, more than 80 percent of the water supply comes from aquifers.

\*\* North (Citrus, Hernando, Lake, Levy, Marion and Sumter counties)
Central (Hillsborough, Pasco, Pinellas and Polk counties)
South (Charlotte, DeSoto, Hardee, Highlands, Manatee and Sarasota counties)

\*\*\* The **percentile** compares current aquifer levels to historical levels during the same time of year on a scale of 0-100. For example, if the groundwater level is at the 50<sup>th</sup> percentile, it means that half of the historical levels for this time of year were higher and half were lower than the current level.

\*\*\*\* Any level that falls between the 25<sup>th</sup> and the 75<sup>th</sup> percentile is considered **normal**. Less than the 25<sup>th</sup> would be considered below normal and above the 75<sup>th</sup> percentile is above normal.

Southwest Florida Water Management District Water Resource Weekly Update Page 2 Aug. 10, 2018

	August 8	August		Year to date	Jan-Aug		
	Actual **	Historic Avg.***	Normal Range***	Actual**	Historic Avg.***	Normal Range***	
North	1.20	7.97	6.51 – 9.62	41.50	39.83	35.25 – 44.68	
Central	1.54	8.23	6.66 – 9.62	36.81	38.68	33.64 - 42.48	
South	1.33	8.11	6.42 – 9.27	35.05	38.05	34.52 - 41.40	

## 2018 Rainfall (in inches) \*

Historic Rainfall (January - December in inches)

	2017	2016	2015	2014	2013	2012	2011	2010	Jan. through Dec.	
	Actual	Historic Avg.***	Normal Range***							
North	52.41	48.49	52.04	61.12	50.54	55.81	48.35	49.61	53.45	48.62 - 58.07
Central	51.37	55.38	57.27	56.16	47.92	50.30	53.44	49.29	52.36	46.77 – 56.55
South	57.43	56.79	54.24	52.57	52.64	47.36	46.40	48.61	52.44	47.04 – 57.17

\* The rainfall values for the current month and year are considered provisional and subject to revision. The other annual figures are final.

\*\* Actual rainfall for the time frame referenced at the top of the column.

\*\*\* Historical average rainfall for the time frame referenced at the top of the column. The District's historical rainfall records date back to 1914. The "normal range" is defined as rainfall totals that fall on or between the 25th to 75th percentile values derived from the historical data for each month.